



हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HINDUSTAN URVARAK & RASAYAN LTD., GORAKHPUR

(A Joint Venture of NTPC, CIL, IOCL, FCIL & HFCL)

कार्यालय : प्रशासनिक भवन, एच.यू.आर.एल. कैम्पस, फर्टिलाइजर, गोरखपुर - 273007 उ.प्र. भारत, दूरभाष : 0551 - 2261177
Office : Administrative Building, HURL Campus, Fertilizer, Gorakhpur - 273007 (U.P) India Telefax : 0551- 261177

Ref. No.: HURL/GKP/25-26/ 2411

24th November 2025

Ministry of Environment, Forest & Climate Change
Integrated Regional Office, Lucknow
Kendriya Bhawan, 5th Floor, Sector-H, Aliganj
Lucknow-226024

Kind Attention: Dr. A. K. Gupta, Additional Director

Subject: Compliance Report for the period from April 2025 to September 2025 of M/s Hindustan Urvarak & Rasayan Limited (HURL)-Ammonia (2200 MTPD) & Urea (3850 MTPD) Fertilizer Project at Gorakhpur, Uttar Pradesh, U.P.

Ref:(I) MOEF&CC, Environmental Clearance Letter No. J-11011/166/2016-IA II (I) dated 31.07.2017.

Dear Sir,

With reference to the subject, please find attached herewith the compliance report for the period April 2025 to September 2025.

Best regards.
for Hindustan Urvarak and Rasayan Limited



Sr. Manager (Environment & Quality control)

Enclosures

Copy to: Regional office Pollution control Board, Gorakhpur

Copy to: Uttar Pradesh Pollution Control Board, Gomti Nagar Lucknow

COMPLIANCE REPORT

**(MOEF& CC File No. J-11011/166/2016-IA II (I) dated 31/07/2017)
For the period**

APRIL, 2025 TO SEPTEMBER, 2025

Submitted

TO

MOEF& CC, Regional Office (ECZ), Lucknow

AMMONIA UREA FERTILIZER PLANT

(2200 MTPD Ammonia & 3850 MTPD Urea)

GORAKHPUR

November, 2025



**हिंदुस्तान उर्वरक एवं रसायन लिमिटेड
HINDUSTAN URVARAK & RASAYAN LTD.
(A joint Venture of NTPC, CIL, IOCL, FCIL & HFCL)**

Table of Contents

COMPLIANCE OF EC CONDITIONS FOR THE PERIOD April, 2025 to September 2025

Annexure-1 EDG Emmision Analysis Report

Annexure-2 Stack Analysis report

Annexure-3 Ambient Air quality report

Annexure-4 Deed with Nagar Nigam

Annexure-5,6,7,8,9,10 & 11 Green belt development

Annexure- 12,13& 14 chemical handling training, Health checkup& Fire Safety Training

COMPLIANCE OF EC CONDITIONS FOR THE PERIOD APRIL, 2025 to SEPTEMBER 2025.

Sl. No.	EC Conditions	Compliance status
(A) SPECIFIC CONDITIONS		
1	Emissions-limits for the pollutants from the Diesel Generator Sets and the stack height shall be in conformity with the extant statutory regulations and/or the CPCB guidelines in this regard.	Diesel Generator Sets (EDG) were used only during emergencies. Normally EDG will remain in standby condition / non-working mode. Emissions-limits for the pollutants from the Diesel Generator sets and the stack height are as per statutory guidelines. EDG Emission report attached as Annexure-1 . This point is complied and closed
2	To control source emissions, scrubber and/or other suitable pollution control device shall be installed to meet the prescribed Particulate Matter emission norms of 50 mg/Nm ³ , and also the NATIONAL AMBIENT AIR QUALITY STANDARDS.	Pollution control devices are installed to control the particulate matter emissions & the results are within the norms. The Stack emission & AAQ analysis report is attached for ready reference in Annexure-2 &3 .
3	Fresh water requirement shall not exceed 5.36 cum/ton of Urea production. Fresh water for plant operation shall be sourced only from Chilwa Tal.	HURL has made an agreement with the Nagar Nigam of Gorakhpur for consumption of water from the Chilwa Tal for process and utility. Fresh water Consumption is within limits. Please refer to Annexure-4
4	Plantation shall be carried out around the Chilwa Tal.	A Memorandum of Understanding (MoU) was signed between HURL Gorakhpur and the District Forest Department, Gorakhpur, on 18/09/2024 for plantation activities around Chilwa Taal. Under this MoU, 16,000 saplings were to be planted near Chilwa Taal and the land preparation work as well as the plantation of saplings has been completed. Annexure-5
5	As already committed by the project proponent, no waste/treated water shall be discharged outside to ensure ZLD. Water consumption shall be reduced by adopting 3 R's (Reduce, Reuse & Recycle) concept in the process.	The Project is based on Zero Liquid Discharge concept adopting 3R's. Reverse Osmosis Plant (RO Plant) is running normal. Treated water of RO plant is used in cooling water system.

6	Industry shall develop Greenbelt with 10 m width along the plant periphery with three layers of perennial native plant species. 33% of the total project cover area i.e. nearly 130 acres out of 350 acres of area of the Project, shall be developed as green area with plantation of native perennial trees.	Plantation work is under progress. Gorakhpur come under the sub-tropical area, so DFO plant native species tree having some pollution abatement properties. 1. The work of planting 5000 saplings in the first phase has been completed around the boundary. Growth of all-plants is shown in the attached Annexure-6 A letter received from statutory authority letter no.75/सि-314/2023 which is directed to plant 25000 saplings and it must be carried out by Miyawaki method Annexure-7. The plantation status of the saplings at HURL complex by Miyawaki method is mention below: I. 17500 saplings planted in Phase-II by Miyawaki method. The growth of the plants attached as Annexure-8 II. For Plantation of 9000 trees at HURL campus, plantation work has been done by District Forest department Gorakhpur. The growth of the plants attached as Annexure-9 III. For plantation near Chilwa Taal, A Memorandum of Understanding (MoU) was signed between HURL Gorakhpur and the District Forest Department, Gorakhpur, on 18/09/2024 for plantation activities around Chilwa Taal. Under this MoU, 16,000 saplings were to be planted near Chilwa Taal and the land preparation work as well as the plantation of saplings has been completed. Annexure-10 IV. Approx 7000 Saplings has been planted under ek ped ma ke naam campaign. Annexure-11 Out of 130 acres, approx.122 acres land has been developed as a green belt which is 94% of the target project. The remaining 8 acres of land has been identified for plantation. A quotation has been sought from the District Forest Department for plantation work on 8 acres.
7	A plan shall be prepared and implemented for the conservation of Chilwa Tal giving special emphasis on protection of conservation of its natural recharge channels	Water from Chilwa Tal is the only source of fresh water being used during operation of the Plant. HURL has taken up a project of deepening and dredging of Chilwa Taal for increasing the water

	emphasis on protection of conservation of its natural recharge channels	HURL has taken up a project of deepening and dredging of Chilwa Taal for increasing the water storage capacity to meet the plant's requirement. The dredging work completed and material is used for land filling in the nearby locality of Chilwa Taal. This point is Complied and closed.
8	All the commitments made during Public Hearing/Public Consultation meeting held on 24 th April, 2017 shall be satisfactorily implemented and adequate budget provision should be made accordingly.	During the public hearing ,28 points discussed, 26 points have been closed one point is under discussion & another one point is under consideration in honourable high court. Sufficient budget is being provisioned to address timely allocated to full fill requirement.
9	At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs and action plan with financial and physical breakup/details shall be prepared and submitted to the Ministry's Regional Office at Lucknow. Implementation of such program shall be ensured accordingly in a time bound manner within 5 years. The ECS plan will include following activities: - Up-gradation of existing school with modern education facilities - Planting of 5000 trees per year in 5 years in nearby villages in consultation with the local / forest dept. Survival rate of the plants shall be reported to RO, MoEF&CC in 6 monthly compliance report. Conservation plant for shall be continue with. - Safe drinking water facility with RO plant in villages located within 3 Km radius of the plant with maintenance cost.	The ESC program is being carried out and an adequate budget is provided for the Project in a phase-wise manner. Detailed status along with the budget spent will be sent to the Ministry's regional office. The following Project activities mentioned below: 1- Commissioning of 02 Nos. of Oxygen Plant at Campiarganj & Harnahi in October 2021. 2- RO Plant Installed at 12 Nos. of Primary Schools in August 2022 (Bangai, Gulariha,Devipur, Sonbarsa, Siktaur, Balapar II, Purba, Purba Madhyamik School (Composite), Balapar, Baijnathpur, Manbela, Chargawan, Bhagwanpur, Bargadhwa). 3-Development of a Model village at Sonbarsa, Gorakhpur. MoU signed between GDA & HURL. Work awarded to M/S Arunima Construction and M/S H.S. Construction. The Project started on the 1st week of Nov 2022. Project Cost's 12.3 Crore. The Project has the following components: - Storm Water Drainage: The water drainage work started from the Sonbarsa entrance gate, passed in front of the pond and along the residential houses up to the

Panchayat Bhawan, and further extended along the residential area up to the Chiluwataal .

Construction of a New School Building: Ground Floor - Construction of two classrooms and a toilet; First Floor - Construction of two classrooms (smart class, audio announcement system, UPS, Wi-Fi, furniture, tables/chairs/2 and 3-seater benches, complete electrical items, Fire alarm, smoke detector, cooler, submerge sible, RO & Drinking water facility etc).

*Renovation of the previously constructed school building (renovation of class-4, a multipurpose room, and a stock room).

*Construction of a playground for children, rotating swing and toilet; Installation of the boundary wall and interlocking tiles within the school premises.

*10 KV Solar panels, CCTV

Panchayat Bhavan: The project components include the construction of a new Panchayat building. Video conferencing/meeting room and training centre, doctor consultancy room, pathology lab, agriculture room, soil testing lab, community room, toilets, furniture, and CCTV installation.

Rejuvenation of Pond: Strengthening of the embankment around the pond (RCC, retaining wall, earthfill, stairs, pathways, MS railings, and landscaping).

Temple renovation, street lighting (solar lights)

*200 Solar Street light with Pedestals installed at entire village.

Entrance Gate: Model Village with HURL & GDA Branding Has been completed.

Road Improvement: RCC work done in front of Panchayat Bhawan approx. 200 Metre in length.

4-Creation of Health Infrastructure Paediatric Intensive Care Unit-PICU at 16 CHCs.

MoU signed between GDA & HURL. Work awarded to M/S Harsh Enterprises. Project

		implementation started in the 3rd week of Nov 2022. Project Cost 26.42 Crore (Revised). In the first phase implementation was completed at 02 CHC'S Jangal Kauria & Chargawan (Khuthan). In the second phase implementation was completed at 05 CHC'S; Bhathat, Sahjanwa, Pali, Harnahi, and Bansaon. All seven CHCs were inaugurated by the Hon'ble CM Uttar Pradesh and handed over to respective CHC management dated 05-03-2024 & 03-06-2024. In the third phase implementation was completed at 07 CHC'S; Badhalganj, Belghat, Gola, Basudeeha, Barahi, and Pipraich. All seven CHCs are handed over to respective CHC management dated 13-03-2025. Fourth phase the balance two PICU units Aranv Jagdish and shivpur after completion of operation & maintenance handover to CHC management dated 02-06-2025. As per the revised approval, A total of 16 PICU Installations & successful operation & maintenance was completed and handed over to respective CHCs. 5-Development of Ramgarh Taal- Facelift and Placemaking, District Gorakhpur. MoU signed between GDA & HURL.LOA awarded to PMC. Project Cost 3.5 Crore. The bidder is selected through the tendering process. Work order issued to M/S Universal Electrical and Smt. Reena Singh. A total of 100% work was completed. The HURL Branding is completed and the remaining Placemaking component is replaced by a view deck and tensile shade. Work is now completed. 6. Improvement/augmentation of education & related infrastructure in selected schools of Gorakhpur district including a Govt. district library
--	--	--

19 Kasturba Gandhi Awasiya Balika Vidyalaya

* LOA issued to PWD Prantiya Khand and Nirman khand 3 Gorakhpur.

* Work is currently in progress at only two school, Kasturba Gandhi Balika Vidyalaya, Kaudiram & Khorabar. In the remaining 17 Kasturba Gandhi Awasiya Balika Vidyalayas, the work has already been completed by another agency.

* At Kasturba Gandhi Awasiya Balika Vidyalaya, Khorabar, the work was initially assigned to PWD Nirman Khand-03. However, due to certain issues, a new implementing agency has been nominated Rajkiya Nirman Nigam Limited, Gorakhpur.

06 Government Schools and District Library

* LOA issued to PWD Prantiya Khand and Grameen Abhiyantran, Gorakhpur

* Construction work has been initiated in all sites.

* 200 Furniture (Bench & Desk) for students provided by Grameen Abhiyantran in Sardar nagar Govt school.

*40% civil work completed at 06 Govt. School remaining work completed by Mar 2026.

7. Supply, Installation & Commissioning of solar LED Lights with octagonal pole in Gorakhpur city.

* MoU sign between HURL & Nagar Nigam Gorakhpur for installation of 1427 Solar Street Light at 27 routes with approved project cost 21.12 Cr.

* Nagar Nigam float the tender & the bidder is selected through tendering process. The project is divided among three bidders (L1, L2, and L3) in the ratio of 40:30:30. The name of bidders are M/s. Jai Ambey Suppliers, M/s. VJ Electricals and Construction LLP, M/s. Madnani Engineering Works & the work order issued on. The work

		started from second week of October 2025 & the Phase-1 milestone payment released by HURL. 8. Community Plantation 25000 fruit bearing Trees-Project HARIYALI. Site identified at Sainik School Gorakhpur for 15000 trees & Mahayogi Gorakhnath university for 10000 trees. MoU with Gorakhpur Forest division is under way.
10	A regular environment manager having post graduate qualification in environmental sciences/environmental engineering to be appointed for looking after the environmental management activities of the proposed plant.	A regular Environment and Quality Control Manager having Ph.D. qualification has been appointed to look after the activities of the proposed plant. This point is complied and closed
11	Continuous online (24 X 7) monitoring system for emissions and effluent generation shall be installed for flow/discharge measurement and the pollutants concentration within the plant. Data shall be uploaded on company's website and provided to the respective RO of MoEF & CC, CPCB and SPCB.	The installation of the continuous monitoring system has been done according to the CPCB guidelines. Plant data is uploaded on website and can be viewed by the respective RO of MOEF& CC, CPCB and SPCB. This point is complied and closed
12	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms. The ammonia storage shall be limited to 2 days.	This has been addressed in the Detailed Project Report and Rapid risk assessment conducted for the Project. Firefighting system has been installed in the entire complex and is in operational. In addition, 03 Nos of fire tenders have been stationed at the HURL plant to meet any exigency.
13	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Regular health check-up/monitoring of the operational labourers is being done as per the schedule and records are being maintained for the same.
14	Storage of hazardous raw material shall not exceed more than 7 days.	HURL has been confirmed that hazardous raw material is not stored more than 7 days. HURL Gorakhpur site using gaseous natural gas as raw Material & this is being supplied to plant by M/S Gail India limited by pipeline network. raw material remains in gaseous form only in pipeline that is well equipped with dedicated flare system. So, this point is complied & closed.

15	Urea dust shall be controlled by prescribed standard technique.	Complied with. Cyclone separators are installed for controlling the urea dust. Height of the Prilling tower is 149.2 meter & it is quite high to controls the dust emission.
B	GENERAL CONDITIONS	
i)	The Project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board (SPCB), State Government and any other statutory authority.	HURL complies with the conditions laid by UPPCB, UP State Government and any other statutory authority.
ii)	No further expansion or modifications in the Plant shall be carried out without prior approval of the MoEF&CC. In case of deviations or alterations in the project proposal from those submitted to MoEF&CC for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Complied as stated
iii)	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as. Where maximum ground level concentrations are anticipated.	The locations of ambient air quality monitoring have been decided in consultation with the UP-State Pollution Control Board (UPPCB) and HURL officials for monitoring of Air Quality Monitoring 6Nos. of AAQMS have been installed in the project area out of which two stations are selected in up-wind and two stations are selected in down-wind directions.
iv)	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated is November, 2009 shall be followed.	All efforts are being made to contain the fugitive dust emission within the standard limits.
v)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection)	Noise level is being monitored around the plant on regular basis. All efforts are being made to contain the noise levels within the standard limits at the plant round the clock. All equipment deployed at the site are ensured to have acoustic hoods and silencers/enclosures on sources of noise generation. The workers at site are equipped with ear muffs.

	Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	
vi)	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	This condition has been complied during the designing of the buildings and rainwater harvesting system has been placed. This point is complied and closed.
vii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	All statutory and organizational requirements pertaining to chemical safety have been duly complied with. Comprehensive training on the safe handling of chemicals has been imparted to all employees. Furthermore, pre-employment and periodic medical examinations are being conducted regularly for all personnel. Routine refresher training sessions on chemical handling are also organized to ensure sustained awareness and adherence to safe work practices. HURL-GKP conducts external training programmes on health and safety, in addition to regularly organized internal training sessions. HURL also conducts mock drills at periodic intervals. The mock drill schedule, training photographs, and attendance records are enclosed as Annexures 12, 13, and 14.
viii)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing be implemented.	All the environmental protection measures have been Implemented. This point is complied and closed
ix)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	CSR activities will be undertaken by involving local villages and administration as per the extant Government guidelines. Currently said activities are being taken up with CER Funds.
x)	The company shall undertake all eco-developmental measures including community welfare measures for overall improvement of the environment.	This will be undertaken by involving local villages and administration as per rules and Government guidelines. Currently said activities are being taken up with CER Funds.
xi)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities	Complied.

	shall be set up to carry out the Environmental Management and Monitoring functions.	
xii)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management; pollution control measures shall not be diverted for any other purpose.	This condition has been complying by HURL.
xiii)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad /Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions, representations, if any, were received while processing the proposal.	Complied
xiv)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by mail) to the respective Regional Office of MOEF& CC, the respective Zonal Office of Environmental Clearance and six-monthly compliance status reports shall be posted on the website of the company.	Complied
xv)	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MOEF& CC by-mail.	The Environment Statement for the financial year ending 31 st March, 2025 in From-V has been submitted on time. Complied.

xvi)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	This point is complied and closed
xvii)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Date of start of project :27 Feb 2018 The date of financial closure is 20.09.2018. COD of the Gorakhpur Project is declared on 03.05.2022.

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Annexure-1

Issued To **M/s Hindustan Urvarak&Rasayan Limited**
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

ULR No.: TC148142400006175F
Test Report Date: 01/11/2025

Sample Particulars:	
Nature of the Sample	EDG Stack Gas Emission
Date of Sampling	23/09/2025
Sample Collected by	Mr Ratnesh
Sample Received at Lab	26/09/2025
Test Started On	26/09/2025
Test Completed On	31/10/2025
Purpose of Monitoring	To Check the Pollution Load
Sampling Location	EDG Room (EDG-1 Sr. No.: 4190620317)
DG Set Capacity	2.51 MW
Type of Fuel Used	HSD
Consumption of Fuel (Lt/hr)	625
Method of Sampling	IS: 11255
Normal Operating Schedule	As per requirement
Type of Stack /Duct	Mild Steel
Pollution Control Measure Attached	No
Stack height from Ground Level (m)	30
Diameter of the Stack(m)	0.5
Sampling Duration (min)	40
Observations:	
Flue Gas Temperature °C	161
Ambient Air Temperature °C	30
Flue Gas Velocity (m/s)	31.42

Analysis Report

Sr. No.	Parameters	Unit	Test Results	CPCB Limit	Test Method
1	Particulate Matter, (as PM)	mg/Nm ³	35.6	75	IS: 11255(P-1)

*Limits @ 85% Load and 15% O₂ Correction
** Results at full load and 15% O₂ Correction



TC-14814



(AUTHORISED SIGNATORY)

(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of the organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount only. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9873924093

CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Handwritten signature

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To **M/s Hindustan Urvarak&Rasayan Limited**
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

Test Report No.: 202509230110

Test Report Date: 01/11/2025

Sample Particulars:

Nature of the Sample	EDG Stack Gas Emission
Date of Sampling	23/09/2025
Sample Collected by	Mr Ratnesh
Sample Received at Lab	26/09/2025
Test Started On	26/09/2025
Test Completed On	31/10/2025
Purpose of Monitoring	To Check the Pollution Load
Sampling Location	EDG Room (EDG-1 Sr. No.: 4190620317)
DG Set Capacity	2.51 MW
Type of Fuel Used	HSD
Consumption of Fuel (Lt/hr)	625
Method of Sampling	IS: 11255
Normal Operating Schedule	As per requirement
Type of Stack /Duct	Mild Steel
Pollution Control Measure Attached	No
Stack height from Ground Level (m)	30
Diameter of the Stack(m)	0.5
Sampling Duration (min)	40
Observations:	
Flue Gas Temperature °C	161
Ambient Air Temperature °C	30
Flue Gas Velocity (m/s)	31.42

Analysis Report

Sr. No.	Parameters	Unit	Test Results	CPCB Limit	Test Method
1	Oxides of Nitrogen (NO _x)	ppmv	221	710	IS: 11255 (P-7)
2	Non Methyl Hydrocarbon (NMHC)	mg/Nm ³	12	100	By GC Method
3	Carbon Mono Oxide (CO)	mg/Nm ³	44	150	USEPA Method No. 10

*Limits @ 85% Load and 15% O₂ Correction
** Results at full load and 15% O₂ Correction

(AUTHORISED SIGNATORY)

(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in the test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of the organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount paid. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9873924093

CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To **M/s Hindustan Urvarak&Rasayan Limited**
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

ULR No.: TC148142400006176F
Test Report Date: 01/11/2025

Sample Particulars:

Nature of the Sample	: EDG Stack Gas Emission
Date of Sampling	: 23/09/2025
Sample Collected by	: Mr Ratnesh
Sample Received at Lab	: 26/09/2025
Test Started On	: 26/09/2025
Test Completed On	: 31/10/2025
Purpose of Monitoring	: To Check the Pollution Load
Sampling Location	: EDG Room (EDG-2 Sr. No.: H190619744)
DG Set Capacity	: 2.51 MW
Type of Fuel Used	: HSD
Consumption of Fuel (Lit/hr)	: 625
Method of Sampling	: IS: 11255
Normal Operating Schedule	: As per requirement
Type of Stack /Duct	: Mild Steel
Pollution Control Measure Attached	: No
Stack height from Ground Level (m)	: 30
Diameter of the Stack(m)	: 0.5
Sampling Duration (min)	: 40
Observations:	
Flue Gas Temperature °C	: 156
Ambient Air Temperature °C	: 29
Flue Gas Velocity (m/s)	: 31.89

Analysis Report

Sr. No.	Parameters	Unit	Test Results	CPCB Limit	Test Method
1	Particulate Matter, (as PM)	mg/Nm ³	26.7	75	IS:11255(P-1)

*Limits @ 85% Load and 15% O₂ Correction

** Results at full load and 15% O₂ Correction



TC-14814

(AUTHORISED SIGNATORY)
(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited invoiced amount only. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9873224093

CORPORATE OFFICE & CENTRAL LABORATORIES:-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Alma

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To **M/s Hindustan Urvarak&Rasayan Limited**
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

Test Report No.: 202509230111

Test Report Date: 01/11/2025

Sample Particulars:

Nature of the Sample	: EDG Stack Gas Emission
Date of Sampling	: 23/09/2025
Sample Collected by	: Mr Ratnesh
Sample Received at Lab	: 26/09/2025
Test Started On	: 26/09/2025
Test Completed On	: 31/10/2025
Purpose of Monitoring	: To Check the Pollution Load
Sampling Location	: EDG Room (EDG-2 Sr. No.: H190619744)
DG Set Capacity	: 2.51 MW
Type of Fuel Used	: HSD
Consumption of Fuel (Lit/hr)	: 625
Method of Sampling	: IS: 11255
Normal Operating Schedule	: As per requirement
Type of Stack /Duct	: Mild Steel
Pollution Control Measure Attached	: No
Stack height from Ground Level (m)	: 30
Diameter of the Stack(m)	: 0.5
Sampling Duration (min)	: 40
Observations:	
Flue Gas Temperature °C	: 156
Ambient Air Temperature °C	: 29
Flue Gas Velocity (m/s)	: 31.89

Analysis Report

Sr. No.	Parameters	Unit	Test Results	CPCB Limit	Test Method
1	Oxides of Nitrogen (NO _x)	ppmv	188	710	IS:11255 (P-7)
2	Non Methyl Hydrocarbon (NMHC)	mg/Nm ³	13.7	100	By GC Method
3	Carbon Mono Oxide (CO)	mg/Nm ³	41	150	USEPA Method No. 10

*Limits @ 85% Load and 15% O₂ Correction.

** Results at full load and 15% O₂ Correction.

(AUTHORISED SIGNATORY)

(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full, without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited in invoiced amount only. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9872924993.

CORPORATE OFFICE & CENTRAL LABORATORIES:-

9 PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

(Signature)

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To **M/s Hindustan Urvarak&Rasayan Limited**
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

ULR No.:

TC148142400006177F

Test Report Date:

01/11/2025

Sample Particulars:

Nature of the Sample	:	EDG Noise Level
Date of Sampling	:	23/09/2025
Sample Collected by	:	Mr Rathesh
Sample Received at Lab	:	26/09/2025
Test Started On	:	26/09/2025
Test Completed On	:	31/10/2025
Purpose of Monitoring	:	To Check the Pollution Load
Sampling Location	:	EDG Room (EDG-1 Sr. No.: 4190620317)
DG Set Capacity	:	2.51 MW
Type of Fuel Used	:	HSD
Consumption of Fuel (Lit/hr)	:	625
Method of Sampling	:	As per requirement
Normal Operating Schedule	:	Yes
DG Enclosure Surface	:	

Analysis Report

Sr. No.	Parameters	Unit	Test Results	CPCB Limit	Test Method
1	DG Set Noise (2.51 MW) at 1 meter Distance	dB	74	75	NL/SOP/ENV-05 based IS 9989

*Limits @ 85% Load



TC-14814

(AUTHORISED SIGNATORY)

(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount of the invoice only. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9873924003

CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

[Signature]

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To **M/s Hindustan Urvarak&Rasayan Limited**
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

ULR No.: TC148142400006178F

Test Report Date: 01/11/2025

Sample Particulars:

Nature of the Sample : EDG Stack Gas Emission
Date of Sampling : 23/09/2025
Sample Collected by : Mr Ratnesh
Sample Received at Lab : 26/09/2025
Test Started On : 26/09/2025
Test Completed On : 31/10/2025
Purpose of Monitoring : To Check the Pollution Load
Sampling Location : EDG Room (EDG-2 Sr. No.: H190619744)
DG Set Capacity : 2.51 MW
Type of Fuel Used : HSD
Consumption of Fuel (Lit/hr) : 625
Method of Sampling :
Normal Operating Schedule : As per requirement
DG Enclosure Surface : Yes

Analysis Report

Sr. No.	Parameters	Unit	Test Results	CPCB Limit	Test Method
1	DG Set Noise (2.51 MW) at 1 meter Distance	dB	73	75	NL/SOP/ENV-05 based IS 9989

*Limits @ 85% Load



(AUTHORISED SIGNATORY)
(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. The report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount of the invoice only. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-8879934093.

CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Atman

Test Report

Annexure-2

Issued To M/s Hindustan Urvarak&Rasayan Limited
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

Test Report No.: 202509230110
Test Report Date: 04/10/2025

Sample Particulars:

Nature of the Sample	:	Stack Gas Emission
Date of Sampling	:	23/09/2025
Sample Received at Lab	:	26/09/2025
Test Started On	:	26/09/2025
Test Completed On	:	03/10/2025
Purpose of Monitoring	:	To Check the Pollution Load
Sampling Location	:	HRSG-1
Method of Sampling	:	IS: 11255
Normal Operating Schedule	:	As per requirement
Type of Stack /Duct	:	Mild Steel
Stack height from Ground Level (m)	:	32.5
Diameter of the Stack(m)	:	1.7
Sampling Duration (min)	:	40
Observations:		
Flue Gas Temperature °C	:	201
Ambient Air Temperature °C	:	30
Flue Gas Velocity (m/s)	:	27.5

Analysis Report

Sr. No.	Parameters	Unit	Test Results	Test Method
1	Oxide of Nitrogen (as NO _x)	mg/Nm ³	23.9	USEPA OTM-39
2	Oxides of Sulphur (as SO _x)	mg/Nm ³	ND (DL-1)	SOP No.: NL/SOP/FGA/01

Remark:
ND-Not Detected*DL-Detection Limit.

(AUTHORISED SIGNATORY)
(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount of the fee. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597. 04/10/2025

CORPORATE OFFICE & CENTRAL LABORATORIES :-

43, PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Atan

Test Report

Issued To **M/s Hindustan Urvarak&Rasayan Limited**
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer Gorakhpur City
Uttar Pradesh-273 007, India

Test Report No.: 202509230111
Test Report Date: 04/10/2025

Sample Particulars:

Nature of the Sample	: Stack Gas Emission
Date of Sampling	: 23/09/2025
Sample Received at Lab	: 26/09/2025
Test Started On	: 26/09/2025
Test Completed On	: 03/10/2025
Purpose of Monitoring	: To Check the Pollution Load
Sampling Location	: HRSG-2
Method of Sampling	: IS: 11255
Normal Operating Schedule	: As per requirement
Type of Stack /Duct	: Mild Steel
Stack height from Ground Level (m)	: 30
Diameter of the Stack(m)	: 1.7
Sampling Duration (min)	: 40

Observations:

Flue Gas Temperature °C	: 189
Ambient Air Temperature °C	: 31
Flue Gas Velocity (m/s)	: 23.26

Analysis Report

Sr. No.	Parameters	Unit	Test Results	Test Method
1	Oxide of Nitrogen (as NO _x)	mg/Nm ³	26.3	USEPA OTM-39
2	Oxides of Sulphur (as SO _x)	mg/Nm ³	ND (DL-1)	SOP No.: NL/SOP/FGA/01

Remark:

ND-Not Detected*DL-Detection Limit.

NITYA LABORATORIES
Authorized
(AUTHORISED SIGNATORY)
(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount of fee paid. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9873924093

CORPORATE OFFICE & CENTRAL LABORATORIES :-

9 PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Atma

Test Report

Issued To **M/s Hindustan Urvarak&Rasayan Limited**
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

Test Report No.: 202509230112

Test Report Date: 04/10/2025

Sample Particulars:

Nature of the Sample	Stack Gas Emission
Date of Sampling	23/09/2025
Sample Received at Lab	26/09/2025
Test Started On	26/09/2025
Test Completed On	03/10/2025
Purpose of Monitoring	To Check the Pollution Load
Sampling Location	AUX Boiler
Method of Sampling	IS: 11255
Normal Operating Schedule	As per requirement
Type of Stack /Duct	Mild Steel
Stack height from Ground Level (m)	32.5
Diameter of the Stack(m)	1.7
Sampling Duration (min)	40

Observations:

Flue Gas Temperature °C	165
Ambient Air Temperature °C	31
Flue Gas Velocity (m/s)	24.26

Analysis Report

Sr. No.	Parameters	Unit	Test Results	Test Method
1	Oxide of Nitrogen (as NO _x)	mg/Nm ³	54	USEPA OTM-39
2	Oxides of Sulphur (as SO _x)	mg/Nm ³	ND (DL-1)	SOP No.:NL/SOP/FGA/01

Remark:
ND-Not Detected*DL-Detection Limit.

(AUTHORISED SIGNATORY)
(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to invoice amount only. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9873924092.

CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To M/s Hindustan Urvarak & Rasayan Limited
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

Test Report No.: 202509230113

Test Report Date: 04/10/2025

Sample Particulars:

Nature of the Sample	: Stack Gas Emission
Date of Sampling	: 23/09/2025
Sample Received at Lab	: 26/09/2025
Test Started On	: 26/09/2025
Test Completed On	: 03/10/2025
Purpose of Monitoring	: To Check the Pollution Load
Sampling Location	: 101 Reformer
Method of Sampling	: IS: 11255
Normal Operating Schedule	: As per requirement
Type of Stack /Duct	: Mild Steel
Stack height from Ground Level (m)	: 53.8
Diameter of the Stack(m)	: 1.7
Sampling Duration (min)	: 40
Observations:	
Flue Gas Temperature °C	: 170
Ambient Air Temperature °C	: 30
Flue Gas Velocity (m/s)	: 23.45

Analysis Report

Sr. No.	Parameters	Unit	Test Results	Test Method
1	Oxide of Nitrogen (as NO _x)	mg/Nm ³	88	USEPA OTM-39
2	Oxides of Sulphur (as SO _x)	mg/Nm ³	ND (DL-1)	SOP No.: NL/SOP/FGA/01

Remark: ND-Not Detected*DL-Detection Limit.

(AUTHORISED SIGNATORY)
(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in the test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount only. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9873524093

CORPORATE OFFICE & CENTRAL LABORATORIES :-

9 PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Test Report

Issued To M/s Hindustan Urvarak & Rasayan Limited
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

ULR No.: TC148142400004610F
Test Report Date: 29/07/2025

Sample Particulars:

Nature of the Sample	: Stack Emission
Date of Sampling	: 21/07/2025
Sample Received at Lab	: 24/07/2025
Test Started On	: 24/07/2025
Test Completed On	: 28/07/2025
Purpose of Monitoring	: To Check the Pollution Load
Sampling Location	: Prill Tower
Method of Sampling	: IS: 11255
Normal Operating Schedule	: As per requirement
Type of Stack /Duct	: RCC
Prill Tower height from Ground Level (m)	: 149.2
Diameter of the Prill Tower(m)	: 28
Sampling Duration (min)	: 40
Observations:	
Flue Gas Temperature °C	: 58
Ambient Air Temperature °C	: 30
Flue Gas Velocity (m/s)	: 6.65

Analysis Report

Sr. No.	Parameters	Unit	Test Results	Test Method
1	Particulate Matter, (as PM)	mg/Nm ³	46.2	IS: 11255 (P-1)

Remark:

ND-Not Detected*DL-Detection Limit.



TC-14814

(AUTHORISED SIGNATORY)
(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of the organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about the report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount of the invoice. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email to info@nityalab.com and call at +91-191-2465597, +91-2673524093

CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Atma

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To M/s Hindustan Urvarak & Rasayan Limited
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

ULR No.: TC148142400005361F
Test Report Date: 20/08/2025

Sample Particulars:

Nature of the Sample	: Stack Emission
Date of Sampling	: 13/08/2025
Sample Received at Lab	: 16/08/2025
Test Started On	: 16/08/2025
Test Completed On	: 19/08/2025
Purpose of Monitoring	: To Check the Pollution Load
Sampling Location	: Prill Tower
Method of Sampling	: IS: 11255
Normal Operating Schedule	: As per requirement
Type of Stack /Duct	: RCC
Prill Tower height from Ground Level (m)	: 149.2
Diameter of the Prill Tower(m)	: 28
Sampling Duration (min)	: 40

Observations:

Flue Gas Temperature °C	: 57
Ambient Air Temperature °C	: 33
Flue Gas Velocity (m/s)	: 7.1

Analysis Report

Sr. No.	Parameters	Unit	Test Results	Test Method
1	Particulate Matter, (as PM)	mg/Nm ³	44.2	IS:11255 (P-1)

Remark:

ND-Not Detected*DL-Detection Limit.



TC-14814

(AUTHORISED SIGNATORY)
(RAVINDER MITTAL)

NOTE: The laboratory accepts the responsibility for content of report. The results recorded in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount of fee paid. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9013552273.

CORPORATE OFFICE & CENTRAL LABORATORIES :-

9 PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

(Signature)

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To M/s Hindustan Urvarak&Rasayan Limited
Gorakhpur Manufacturing Unit, HURL
Gorakhpur, Unit-1, Administrative Building
HURL Campus, Fertilizer, Gorakhpur City
Uttar Pradesh-273 007, India

ULR No.: TC148142400006170F
Test Report Date: 04/10/2025

Sample Particulars:

Nature of the Sample	Stack Gas Emission
Date of Sampling	23/09/2025
Sample Received at Lab	26/09/2025
Test Started On	26/09/2025
Test Completed On	03/10/2025
Purpose of Monitoring	To Check the Pollution Load
Sampling Location	Prill Tower
Method of Sampling	IS: 11255
Normal Operating Schedule	As per requirement
Type of Stack /Duct	RCC
Prill Tower height from Ground Level (m)	149.2
Diameter of the Prill Tower(m)	28
Sampling Duration (min)	40
Observations:	
Flue Gas Temperature °C	51
Ambient Air Temperature °C	30
Flue Gas Velocity (m/s)	8.56

Analysis Report

Sr. No.	Parameters	Unit	Test Results	Test Method
1	Particulate Matter, (as PM)	mg/Nm ³	47.5	IS:11255(P-1)

Remark: ND-Not Detected*DL-Detection Limit.



TC-14814



NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purposes or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 30 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is limited to the amount of the invoice. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597 +91-9873924093

CORPORATE OFFICE & CENTRAL LABORATORIES:-

9 PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

APR 2025

Env. STATEMENT for CTO Compliance for the period April 2025 – September 2025 for Ammonia – Urea
(2200 MTPD & 3850 MTPD) plant of HURL at Gorakhpur

Annexure-3

HURL GORAKHPUR, AIR QUALITY DATA – (APRIL 2025 TO SEPTEMBER 2025)

Month	Parameters		NAAQS Standards	HURL Plant Main Gate (SA 1)	HURL admin Building (SA 2)	HURL Residential Quarter No. B-28 (SA 3)	HURL Residence Quarter No.D-186 (SA 4)	HURL Rubber Dam (SA 5)	Near Bargadwah Railway Crossing (SA 6)
April 2025	PM10	$\mu\text{g}/\text{m}^3$	100	92.91	91.47	90.86	93.10	92.13	102.47
	PM2.5		60	34.17	40.41	37.29	35.20	34.25	44.66
	SO ₂		80	15.55	16.04	14.64	14.93	13.38	15.65
	NO _x		80	25.07	24.88	24.52	25.38	24.34	23.54
	C6H6		5	ND	ND	ND	ND	ND	ND
	BAP	ng/m ³	1	ND	ND	ND	ND	ND	ND
	CO	mg/m ³	2	0.43	0.46	0.49	0.43	0.50	0.51
	NH ₃	$\mu\text{g}/\text{m}^3$	400	ND	ND	ND	ND	ND	ND
	Ozone		100	24.26	20.83	25.36	25.02	24.98	23.33
	Ni	ng/m ³	20	ND	ND	ND	ND	ND	ND
	As		6	ND	ND	ND	ND	ND	ND
	Pb	$\mu\text{g}/\text{m}^3$	1	ND	ND	ND	ND	ND	ND
May 2025	PM10	$\mu\text{g}/\text{m}^3$	100	94.88	92.24	92.45	93.37	92.82	102.40
	PM2.5		60	40.89	43.42	46.88	44.69	42.81	45.35
	SO ₂		80	14.58	14.41	13.58	14.95	14.93	14.65
	NO _x		80	24.35	24.20	24.29	24.69	24.79	24.85
	C6H6		5	ND	ND	ND	ND	ND	ND
	BAP	ng/m ³	1	ND	ND	ND	ND	ND	ND
	CO	mg/m ³	2	0.51	0.50	0.48	0.46	0.48	0.45
	NH ₃	$\mu\text{g}/\text{m}^3$	400	ND	ND	ND	ND	ND	ND
	Ozone		100	25.57	25.13	24.88	23.46	24.32	24.31
	Ni	ng/m ³	20	ND	ND	ND	ND	ND	ND
	As		6	ND	ND	ND	ND	ND	ND
	Pb	$\mu\text{g}/\text{m}^3$	1	ND	ND	ND	ND	ND	ND



CORPORATE OFFICE & CENTRAL LABORATORIES :-

9 PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com


www.nityalab.com

Almon

Env. STATEMENT for CTO Compliance for the period April 2025 – September 2025 for Ammonia – Urea
(2200 MTPD & 3850 MTPD) plant of HURL at Gorakhpur

Annexure-2

June 2025	PM10	$\mu\text{g}/\text{m}^3$	100	93.60	93.63	94.17	93.12	96.00	103.51
	PM2.5		60	43.79	39.78	44.45	38.92	46.53	53.22
	SO ₂		80	14.48	14.73	13.70	14.68	16.38	16.91
	NO _x		80	24.95	24.23	24.62	24.82	24.52	28.20
	C6H6		5	ND	ND	ND	ND	ND	ND
	BAP	ng/m ³	1	ND	ND	ND	ND	ND	ND
	CO	mg/m ³	2	0.44	0.44	0.45	0.42	0.45	0.53
	NH ₃	$\mu\text{g}/\text{m}^3$	400	ND	ND	ND	ND	ND	ND
	Ozone		100	21.70	21.02	22.04	23.99	26.34	24.77
	Ni	ng/m ³	20	ND	ND	ND	ND	ND	ND
	As		6	ND	ND	ND	ND	ND	ND
	Pb	$\mu\text{g}/\text{m}^3$	1	ND	ND	ND	ND	ND	ND
July 2025	PM10	$\mu\text{g}/\text{m}^3$	100	88.23	89.25	89.45	88.51	88.81	95.15
	PM2.5		60	40.64	37.13	40.46	34.98	40.56	46.85
	SO ₂		80	13.63	12.69	13.45	12.85	13.06	13.30
	NO _x		80	21.65	21.95	22.16	21.85	21.03	22.69
	C6H6		5	ND	ND	ND	ND	ND	ND
	BAP	ng/m ³	1	ND	ND	ND	ND	ND	ND
	CO	mg/m ³	2	0.36	0.46	0.38	0.35	0.37	0.39
	NH ₃	$\mu\text{g}/\text{m}^3$	400	ND	ND	ND	ND	ND	ND
	Ozone		100	19.49	18.88	19.06	21.64	21.06	20.14
	Ni	ng/m ³	20	ND	ND	ND	ND	ND	ND
	As		6	ND	ND	ND	ND	ND	ND
	Pb	$\mu\text{g}/\text{m}^3$	1	ND	ND	ND	ND	ND	ND
August 2025	PM10	$\mu\text{g}/\text{m}^3$	100	90.08	90.03	91.54	88.63	89.03	100.43
	PM2.5		60	41.21	37.65	41.71	35.23	40.84	48.33
	SO ₂		80	13.38	13.51	12.19	13.26	16.98	16.30
	NO _x		80	22.88	21.83	22.53	22.06	25.30	25.51
	C6H6		5	ND	ND	ND	ND	ND	ND
	BAP	ng/m ³	1	ND	ND	ND	ND	ND	ND
	CO	mg/m ³	2	0.49	0.48	0.38	0.42	0.47	0.42
	NH ₃	$\mu\text{g}/\text{m}^3$	400	ND	ND	ND	ND	ND	ND
	Ozone		100	20.10	18.79	20.08	21.58	22.90	20.34
	Ni	ng/m ³	20	ND	ND	ND	ND	ND	ND
	As		6	ND	ND	ND	ND	ND	ND
	Pb	$\mu\text{g}/\text{m}^3$	1	ND	ND	ND	ND	ND	ND



CORPORATE OFFICE & CENTRAL LABORATORIES :-

43, Sector-A1 Ext., Bhalla Enclave, Channi
Himmat, Jammu-180 015, J&K (UT), India

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Signature

Env. STATEMENT for CTO Compliance for the period April 2025 – September 2025 for Ammonia – Urea
(2200 MTPD & 3850 MTPD) plant of HURL at Gorakhpur

Annexure-2

September 2025	PM10	$\mu\text{g}/\text{m}^3$	100	90.90	98.19	88.61	88.63	88.77	103.25
	PM2.5		60	40.67	44.66	32.83	35.23	32.44	51.99
	SO ₂		80	15.29	15.42	14.80	13.26	14.88	16.29
	NO _x		80	25.68	25.28	25.19	22.06	26.14	25.88
	C6H6		5	ND	ND	ND	ND	ND	ND
	BAP	ng/m ³	1	ND	ND	ND	ND	ND	ND
	CO	mg/m ³	2	0.61	0.63	0.40	0.42	0.55	0.62
	NH ₃	$\mu\text{g}/\text{m}^3$	400	ND	ND	ND	ND	ND	ND
	Ozone		100	23.6	27.82	27.17	21.58	23.03	27.74
	Ni	ng/m ³	20	ND	ND	ND	ND	ND	ND
	As		6	ND	ND	ND	ND	ND	ND
	Pb	$\mu\text{g}/\text{m}^3$	1	ND	ND	ND	ND	ND	ND
Average	PM10	$\mu\text{g}/\text{m}^3$	100	91.77	92.47	91.18	90.89	91.26	101.20
	PM2.5		60	40.23	40.51	40.60	37.38	39.57	48.40
	SO ₂		80	14.49	14.47	13.73	13.99	14.94	15.52
	NO _x		80	24.10	23.74	23.89	23.48	24.35	25.11
	C6H6		5	ND	ND	ND	ND	ND	ND
	BAP	ng/m ³	1	ND	ND	ND	ND	ND	ND
	CO	mg/m ³	2	0.47	0.50	0.43	0.42	0.47	0.49
	NH ₃	$\mu\text{g}/\text{m}^3$	400	ND	ND	ND	ND	ND	ND
	Ozone		100	22.45	22.08	23.10	22.88	23.77	23.44
	Ni	ng/m ³	20	ND	ND	ND	ND	ND	ND
	As		6	ND	ND	ND	ND	ND	ND
	Pb	$\mu\text{g}/\text{m}^3$	1	ND	ND	ND	ND	ND	ND



CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Amma

Env. STATEMENT for CTO Compliance for the period April 2025 – September 2025 for Ammonia – Urea
(2200 MTPD & 3850 MTPD) plant of HURL at Gorakhpur

Annexure-3

HURL GORAKHPUR, NOISE DATA (APRIL 2025 TO SEPTEMBER 2025)

Month	Parameters	Prescribed Limits in db(A) as per NAAQS Ind./Res. Area	HURL Plant (SA 1)	HURL admin Building (SA 2)	HURL Quarter No. B-28 (SA 3)	HURL Residence Quarter No. D-186 (SA 4)	Rubber Dam (SA 5)	Bargadwa Near Railway Crossing (SA 6)
April 2025	24 hrs. Avg Leq Value db (A)	-	53.88	54.25	49.52	47.69	46.63	57.88
	Day time Avg Leq Value db (A)	75/55/65	58.26	58.18	53.51	52.60	50.75	63.54
	Night time Avg Leq Value db (A)	70/45/55	47.46	47.51	45.47	44.02	42.99	52.21
May 2025	24 hrs. Avg Leq Value db (A)	-	52.56	52.14	50.12	50.78	47.89	61.89
	Day time Avg Leq Value db (A)	75/55/65	57.77	58.45	55.62	54.21	52.86	65.7
	Night time Avg Leq Value db (A)	70/45/55	47.70	45.10	44.49	46.08	44.63	57.96
June 2025	24 hrs. Avg Leq Value db (A)	-	51.66	53.23	48.74	47.22	46.56	58.36
	Day time Avg Leq Value db (A)	75/55/65	55.91	57.17	52.76	51.14	49.29	64.18
	Night time Avg Leq Value db (A)	70/45/55	47.39	46.54	46.91	44.21	43.42	53.90
July 2025	24 hrs. Avg Leq Value db (A)	-	52.67	53.88	49.23	48.52	45.36	56.36
	Day time Avg Leq Value db (A)	75/55/65	58.26	58.18	53.51	52.60	50.75	63.54
	Night time Avg Leq Value db (A)	70/45/55	47.46	47.51	45.47	44.02	42.99	52.21
Aug 2025	24 hrs. Avg Leq Value db (A)	-	51.78	51.66	48.69	51.33	48.12	62.88
	Day time Avg Leq Value db (A)	75/55/65	57.77	58.45	55.62	54.21	52.86	65.70
	Night time Avg Leq Value db (A)	70/45/55	47.70	45.10	44.49	46.08	44.63	57.96
Sept 2025	24 hrs. Avg Leq Value db (A)	-	50.99	50.69	48.21	47.66	45.78	59.66
	Day time Avg Leq Value db (A)	75/55/65	55.91	57.17	52.76	51.14	49.29	64.18
	Night time Avg Leq Value db (A)	70/45/55	47.39	46.54	46.91	44.21	43.42	53.90
Average	24 hrs. Avg Leq Value db (A)	-	52.26	52.64	49.09	48.87	46.72	59.51
	Day time Avg Leq Value db (A)	75/55/65	57.31	57.93	53.96	52.65	50.97	64.47
	Night time Avg Leq Value db (A)	70/45/55	47.52	46.38	45.62	44.77	43.68	54.69



CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

+91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

Amma



उत्तर प्रदेश UTTAR PRADESH

DD 958672

पट्टा विलेख

वार्षिक किराया मु० 10000=00 प्रतिवर्ष प्रति हेक्टेयर
 औसत वार्षिक किराया (मु० 10,000=00 प्रतिवर्ष X 7.745 हेक्टेयर)=
 मु० 77450=00
 आर्टिकल 35(V) सेड्यूल. 1-बी के अनुसार मूल्यांकन-
 (औसत वार्षिक किराया मु० 77,450=00 X 6)= मु० 4,64,700=00
 यानी मु० 4,65,000=00
 मूल्यांकन का 4% अदा स्टैम्प-मु० 18,600=00



गोविन्द सिंह एडवोकेट



नगर निगम, गोरखपुर जरिये श्री राजसूचित, राजस्व निरीक्षक
 नगर निगम, गोरखपुर।.....प्रथम पक्ष।

राजस्व निरीक्षक

नगर निगम, गोरखपुर

रजिस्ट्रार



सुबोध दिक्षित
SUBODH DIXITवरिष्ठ प्रबन्धक
Sr. Managerहिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur

50001
03
29.11.2020

हि-इलाक़ उर्वरक एवं रसायन लि० गो० १२५५५ युनिट गो० १२५५५
जि० ए० सुबोपा दीक्षित बालक ५५-५५



सचिव, कृषि
संयोजन विभाग
नई दिल्ली-११०००५
२९/११/२०२०





उत्तर प्रदेश UTTAR PRADESH

DD 958637

DD 958637

(2)



व

हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर यूनिट गोरखपुर
जरिये श्री सुबोध दीक्षित वरिष्ठ प्रबन्धक हिन्दुस्तान उर्वरक एवं
रसायन लिमिटेड, गोरखपुर।.....द्वितीय पक्ष।

ग्राम-जंगल बेनी माधव नं०-1, तप्पा-कस्बा, परगना-हवेली,
तहसील-सदर, जनपद-गोरखपुर स्थित ताल (सम्पत्ति नगर निगम)
आराजी संख्या-706/258, रकबा- 19.14 एकड़ यानी 7.745 हेक्टेयर
को द्वितीय पक्ष अपने कारखाने में जल आपूर्ति के लिये पट्टे पर लेना
चाहता है।

सुबोध दीक्षित
वरिष्ठ प्रबन्धक; गोरखपुर




सुबोध दीक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur



APM

5000
33
29.6.2020

हिन्दुस्तान उर्वरक एवं लघुमूल्य लि० गे० 22894 यमुनार गोखल
जालिह बुधोला दीक्षित कोटल पुन-ज की



श्री प्रोफे
जालिह बुधोला दीक्षित कोटल पुन-ज की





उत्तर प्रदेश UTTAR PRADESH

DD 958638

DD 958638

(3)

फर्टिलाइजर कारखाना में जल आपूर्ति सुनिश्चित करने के सम्बंध में मा0 मुख्य सचिव, उत्तर प्रदेश शासन द्वारा दिनांक 15.02.2017 को शासन में आहूत बैठक में निर्देश दिया गया है कि नगर निगम गोरखपुर विधि के आलोक में इस सम्बंध में सार्थक विचार करे।

मा0 मुख्य सचिव, उत्तर प्रदेश शासन द्वारा दिये गये निर्देश के अनुसार एवं नगर निगम की धारा-128 में दिये गये प्राविधानों के अनुरूप शासन की स्वीकृति प्राप्त होने के पश्चात् निम्नलिखित शर्तों पर प्रथम पक्ष उक्त ताल को द्वितीय पक्ष को पट्टा पर देने हेतु सहमत है:-

- 1- यह कि शासन की स्वीकृति संख्या-1164/नौ-7-2018-7(जनरल)/2017 दिनांक 12 फरवरी, 2020 के क्रम में ग्राम-जंगल बेनी माधव नं0-1, स्थित ताल (सम्पत्ति नगर निगम) आराजी संख्या-706/258, रकबा-19.14 एकड़ यानी 7.745 हेक्टेयर का पट्टा द्वितीय पक्ष के हक में दिनांक


राजस्व निरीक्षक

नगर निगम, गोरखपुर

सुबोध दिक्षित
SUBODH DIXIT


बरिष्ठ प्रबन्धक
Sr. Manager

हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur



5000
34
29.6.2020

ला० २० ३३.



1. 10.10.10
2. 10.10.10
3. 10.10.10

प्राप्त १०/१०/१०
महाराष्ट्र, पुणे



उत्तर प्रदेश UTTAR PRADESH

BK 325757

(4)

13 फरवरी 2020 को नगर आयुक्त महोदय द्वारा स्वीकृति प्रदान कर दी गयी है। जिसमें पट्टे की अवधि 30 वर्षों की होगी यानी ताल के पट्टे की अवधि दिनांक 29.06.2020 से प्रारम्भ होकर दिनांक 28.06.2050 तक के लिए मान्य होगी। 30 वर्षों की अवधि समाप्त होने के पश्चात् प्रथम पक्ष की सहमति से अगले 25 वर्षों के लिये उक्त पट्टे का नवीनीकरण कराया जा सकेगा। जिसका रजिस्ट्री कार्यालय सदर, गोरखपुर में पंजीकरण कराया जाना अनिवार्य होगा।

2- यह कि द्वितीय पक्ष उक्त ताल से 1450 घनमीटर प्रतिघण्टे, जल प्राप्त कर सकेगा, किन्तु ताल में एक न्यूनतम जल स्तर बनाये रखने का दायित्व द्वितीय पक्ष का होगा, ताकि जलीय जीवन पर कोई दुष्प्रभाव न पड़े। यदि अवर्षण या अन्य किसी कारण से द्वितीय पक्ष को प्रतिघण्टे 1450 घनमीटर जल उपलब्ध नहीं हो पाता है तो उसके पूर्ति का दायित्व किसी भी दशा में प्रथम पक्ष का नहीं होगा।

राजस गिरिष
नगर निगम, गोरखपुर
2020

सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur

Atman


1000
35
29-6-2020

नां० ३३



(A)

प्रमाणित किया जाता है कि उपरोक्त दस्तावेज का मूल मालिक
श्री. राजेश कुमार शर्मा हैं जो कि इस दस्तावेज के माध्यम से
सम्बन्धित दस्तावेज को अपने नाम पर हस्ताक्षरित करके
इस दस्तावेज के माध्यम से अपने नाम पर हस्ताक्षरित करके
इस दस्तावेज के माध्यम से अपने नाम पर हस्ताक्षरित करके
इस दस्तावेज के माध्यम से अपने नाम पर हस्ताक्षरित करके
इस दस्तावेज के माध्यम से अपने नाम पर हस्ताक्षरित करके
इस दस्तावेज के माध्यम से अपने नाम पर हस्ताक्षरित करके
इस दस्तावेज के माध्यम से अपने नाम पर हस्ताक्षरित करके
इस दस्तावेज के माध्यम से अपने नाम पर हस्ताक्षरित करके
इस दस्तावेज के माध्यम से अपने नाम पर हस्ताक्षरित करके



प्राप्त हुआ

प्राप्त हुआ



उत्तर प्रदेश UTTAR PRADESH

BK 325758

(5)

- 3- यह कि ग्राम-जंगल बेनी माधव नं०-1, स्थित ताल (सम्पत्ति नगर निगम) आराजी संख्या-706/258, रकबा-19.14 एकड़ यानी 7.745 हेक्टेयर का लगान रूपया 10,000=00 प्रतिवर्ष प्रति हेक्टेयर की दर से देय होगा। यदि दरों के सम्बंध में कोई शासनादेश अथवा अधिनियम में कोई परिवर्तन होता है, तो उसके अनुसार लगान की दर भी तदनुसार संशोधित होकर लगान दर से प्रतिवर्ष देय होगा। प्रत्येक वित्तीय वर्ष के समाप्ति के पूर्व द्वितीय पक्ष को पट्टा की धनराशि जमा करना अनिवार्य होगा।
- 4- यह कि द्वितीय पक्ष उक्त ताल का सौन्दर्यीकरण/सफाई का कार्य अपने व्यय पर करा सकता है। इस सम्बन्ध में सम्बंधित विभाग से अनापत्ति प्राप्त करने की जिम्मेदारी द्वितीय पक्ष की होगी।

राज्य निरीक्षक
व्यय विभाग की

[Signature]



[Signature]

सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager

हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur



[Signature]

1000
36
29.6.20.20

सा. नं 33



मिस्त्रि माल
माला माला माला
माला माला माला
माला माला माला



उत्तर प्रदेश UTTAR PRADESH

BK 325759

(6)

- 5- यह कि द्वितीय पक्ष, उक्त ताल में जल की उपलब्धता सुनिश्चित कराने के सम्बंध में ताल की खुदाई का कार्य, नगर निगम एवं सम्बंधित विभाग/विभागों से अनापत्ति प्राप्त करने के पश्चात् करा सकता है।
- 6- यह कि द्वितीय पक्ष उक्त ताल में जल आपूर्ति के लिए, पम्प हाउस या उससे सम्बंधित अन्य कोई निर्माण कार्य नगर निगम एवं सम्बंधित विभाग/विभागों से अनापत्ति प्राप्त करने के पश्चात् करा सकता है। उक्त कार्य के सम्बंध में नगर निगम, गोरखपुर की कोई जिम्मेदारी नहीं होगी।


राजस्व निरीक्षक
गोरखपुर
[Signature]

[Signature]
सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur

[Signature]

$$\begin{array}{r} 1000 \\ 37 \\ \hline 29.6.2020 \end{array}$$

हारा ३३.



6/29/2020

500

सा.ने. 33.

30

29 अक्टूबर 2020 2000950014524

पट्टा विलेख/ कबूलियतनामा



बही सं०: 1

रजिस्ट्रेशन सं०: 4293

प्रतिफल- 465000 स्टाम्प शुल्क- 18600 बाजारी मूल्य - 0 पंजीकरण शुल्क - 4650 प्रतिलिपिकरण शुल्क - 80 योग : 4730

श्री हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड जरिये वरिष्ठ प्रबन्धक द्वारा
सुबोध दीक्षित अधिकृत पदाधिकारी/ प्रतिनिधि,
वरिष्ठ प्रबन्धक
व्यवसाय : नौकरी
निवासी: हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर



श्री, हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड जरिये सुबोध दीक्षित अधिकृत
वरिष्ठ प्रबन्धक द्वारा पदाधिकारी/ प्रतिनिधि
ने यह लेखपत्र इस कार्यालय में दिनांक 29/06/2020
एवं 04:12:12 PM बजे
निबन्धन हेतु पेश किया।

10/63

रजिस्ट्रीकरण अधिकारी के हस्ताक्षर

योगेन्द्र प्रताप सिंह
उप निबन्धक :सदर प्रथम
गोरखपुर
29/06/2020

श्री दिनेश शाही
निबन्धक लिपिक





उत्तर प्रदेश UTTAR PRADESH

CC 269185

(8)

9- यह कि द्वितीय पक्ष, किसी भी दशा में उक्त ताल या उसके किसी अंश का पट्टा/हस्तान्तरण किसी तीसरे पक्ष के पक्ष में नहीं करेगा।

उभय पक्ष उपरोक्त पट्टा विलेख पढ़ कर समझकर और सहमत होकर अपना-अपना हस्ताक्षर बनाया।

राज्य निरीक्षक
राज्य निरीक्षक
रु. 50



सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड
HURL, Gorakhpur



Atma

39
29.6.2020

तारीख 33.

आवेदन सं०: 202000950014524

बही सं०: 1

रजिस्ट्रेशन सं०: 4293

वर्ष: 2020

निष्पादन लेखपत्र वाद सुनने व समझने मजमुन व प्राप्त धनराशि रु प्रलेखानुसार उक्त

पट्टा दाता: 1

श्री नगर निगम गोरखपुर जरिये राजस्व निरीक्षक के द्वारा
रामसूचित, राजस्व निरीक्षक

निवासी: नगर निगम गोरखपुर

व्यवसाय: नौकरी

पट्टा गृहीता: 1

श्री हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड जरिये वरिष्ठ
प्रबन्धक के द्वारा सुबोध दीक्षित, वरिष्ठ प्रबन्धक

निवासी: हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर

व्यवसाय: नौकरी

ने निष्पादन स्वीकार किया। जिनकी पहचान

पहचानकर्ता: 1

श्री अतुल कुमार, पुत्र श्री सुबाष चन्द्र राय

निवासी: ग्राम-दुधरा, पोस्ट-बनियावारी, खलीलाबाद,

संतकबीर नगर

व्यवसाय: नौकरी

पहचानकर्ता: 2

श्री राजनारायण, पुत्र श्री रामउग्रह

निवासी: रामपुर चक, मानीराम, गोरखपुर

व्यवसाय: अन्य

ने की। प्रत्यक्षतः भद्र साक्षियों के निशान अंगूठे नियमानुसार
लिए गए हैं।

टिप्पणी:



रजिस्ट्रेशन अधिकारी के हस्ताक्षर

योगेन्द्र प्रताप सिंह
उप निबंधक: सदर प्रथम
गोरखपुर

श्री दिनेश शाही
निबंधक लिपिक



उत्तर प्रदेश UTTAR PRADESH

CC 269218

हस्ताक्षर प्रथम पक्ष

राजस निरावक
रविवर निरावक, गोरखपुर
[Signature]



(9)

हस्ताक्षर द्वितीय पक्ष

[Signature]

सुबोध दिक्षित
SUBODH DIXIT
सेट प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक भवन, गोरखपुर निगम
HUKL Gorakhpur



साक्षीगण:-

1- अतुल कुमार S/o.....

सुबाष चन्द्र राय
सा. पुधरा पोखरियाबारी
खलीलाबाद, सतलुखीर नगर

2- राजा नारायण पट्टेज S/o.....

शमशेर पाण्डेय
श. रामपुर चण्ड पोखरी/अ
गोरखपुर

स्थान-गोरखपुर
दिनांक-29.06.2020

प्रारूपकर्ता
[Signature]
(गोविन्द सिंह)
एडवोकेट
कलेक्ट्री कचहरी, गोरखपुर

[Signature]

6/29/2020

50

40

पान 20 33

29.6.2020
आवेदन सं: 202000950014524

बही संख्या 1 जिल्द संख्या 16010 के पृष्ठ 357 से 382 तक क्रमांक 4293 पर दिनांक 29/06/2020 को रजिस्ट्रीकृत किया गया।


रजिस्ट्रीकृत अधिकारी के हस्ताक्षर

योगेन्द्र प्रताप सिंह


उप निबंधक : सदर प्रथम

गोरखपुर

29/06/2020





(Annexure-5)



हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड (HURL)
गोरखपुर परिसर
वित्तिय वर्ष - 2024-2025
क्षेत्रफल — 10 हे.
रोपित पौधा की सं. - 16000 पौधा
रेखा — मुख्यालय रेखा
कार्यकारी विभाग - गोरखपुर कक्षाभाग गोरखपुर

Handwritten signature

(First phase Plantation Annexure-6)



Annexure

प्रदूषण रोकिए !

तार - पर्यावरण

Gram : Paryavarana



VP-Tech MVECC
03/05/2023
क्षेत्रीय कार्यालय

पर्यावरण बचाइए !!

Phone & Fax : 0551-2273937

Contact No. : 7839891824

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

REGIONAL OFFICE

UTTAR PRADESH POLLUTION CONTROL BOARD

संदर्भ संख्या

Ref. No. 75/स्था-314/2023

दिनांक

Dated: 26-04-23

सेवा में,

1. मेसर्स गैलेन्ट इस्पात लि० (इन्टीग्रेटेड स्टील प्लान्ट), गीडा, गोरखपुर।
2. मेसर्स अंकुर उद्योग लि०, प्लान्ट नं० ए०एल०-2, सेक्टर-23, गीडा, गोरखपुर।
3. मेसर्स इण्डिया ग्लाईकॉल्स लि०, ई.-1, सेक्टर-13, गीडा, गोरखपुर।
4. मेसर्स फोरेवर डिस्टीलरी प्रा० लि०, प्लान्ट सं०-ए, यू०पी०सी०डा० औद्योगिक क्षेत्र, उसरा बाजार, तहसील-रुद्रपुर, जनपद-देवरिया।
5. मेसर्स इण्डियन पोटाश लिमिटेड, इकाई-सिसवा बाजार, जनपद-महाराजगंज।
6. मेसर्स इण्डियन पोटाश लि० (शुगर यूनिट), खड़डा, ग्राम- खड़डा, जनपद- कुशीनगर।
7. मेसर्स बजाज हिन्दुस्थान शुगर एण्ड इण्डस्ट्रीज लि० (फार्मली द प्रतापपुर शुगर एण्ड इण्डस्ट्रीज लि०), प्रतापपुर, देवरिया।
8. मेसर्स यू०पी० स्टेट शुगर कार्पोरेशन लि० (यूनिट पिपराईच), पिपराईच, जनपद- गोरखपुर।
9. मेसर्स हिन्दुस्तान उर्वरक एण्ड रसायन लि०, मौजा जंगल बेनी माधव नं० 1, गोरखपुर।

विषय-

क्षेत्रीय कार्यालय, गोरखपुर के अर्न्तगत मियावाकी पद्धति पर वृक्षारोपण किये जाने वाली इकाईयों से वृक्षारोपण सम्बन्धी सूचना प्राप्त करने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक बोर्ड मुख्यालय के पत्रांक सं० एच. 92287/सी०-3/264/मियावाकी/2023, दिनांक 20.04.2023 का संदर्भ ग्रहण करने का कष्ट करें। उक्त पत्र द्वारा विगत वर्ष की भाँति इस वर्ष 2023 में भी औद्योगिक इकाईयों में ग्रीन बेल्ट विकसित किये जाने सम्बन्धी सहमति के शर्तों का अनुपालन सुनिश्चित किये जाने के दृष्टिगत इकाईयों के परिसर में/अन्य उपलब्ध स्थलों पर मियावाकी पद्धति पर आधारित वृक्षारोपण अनिवार्य रूप से कराये जाने के निर्देश दिये गये हैं। तत्क्रम में मियावाकी पद्धति पर वनीकरण किये जाने हेतु सूचना संलग्न प्रारूप पर वांछित है। पत्र के साथ संलग्न प्रारूप पर अपने उद्योग से सम्बन्धित स्थल का अक्षांश-देशांतर एवं क्षेत्रफल आदि का विवरण भर कर एवं पत्र के साथ संलग्न शपथ-पत्र रू० 100 के स्टैम्प पेपर पर नोटरीज्ड कराकर इस कार्यालय को उपलब्ध कराने का कष्ट करें।

संलग्नक- उपरोक्तानुसार।

भवदीय

(पंकज आदव)
क्षेत्रीय अधिकारी

प्रतिलिपि- निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-3)/नोडल मियावाकी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. मुख्य पर्यावरण अधिकारी (वृत्त-6), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी

महादेव झारखण्डी, आवास विकास कालोनी, देवरिया रोड, कूड़ाघाट, गोरखपुर-273 008
MAHADEV JHARKHANDI, AVAS VIKAS COLONY, DEORIA ROAD, KUNRAGHAT, GORAKHPUR-273 008
E-mail : rogorakhpur@uppcb.in

मियावाकी पद्धति से प्रस्तावित वृक्षारोपण की स्थिति

क्र.सं.	उद्योग / इकाई का नाम व पता	जनपद	मौखी की संख्या	मियावाकी वृक्षारोपण का स्थान	प्रस्तावित क्षेत्रफल (वर्ग मीटर में)	कोऑर्डिनेट्स	
						Latitude	Longitude
A	B	C	D	E	F	G	H
1	मेसर्स गैलेक्ट इस्पात लि० (इन्टीग्रेटेड स्टील प्लांट), गीडा, गोरखपुर।	गोरखपुर	25000				
2	मेसर्स अंकुर उद्योग लि०, प्लाट नं० ए०एच०-२, सेक्टर-२३, गीडा, गोरखपुर।	गोरखपुर	25000				
3	मेसर्स इण्डिया ग्लाईकोल्स लि०, ई-१, सेक्टर-१३, गीडा, गोरखपुर।	गोरखपुर	25000				
4	मेसर्स यू०पी० स्टेट सुगर कार्पोरेशन लि० (यूनिट पिपराईच), पिपराईच, जनपद- गोरखपुर।	गोरखपुर	10000				
5	मेसर्स हिन्दुस्तान उर्वरक एण्ड रसायन लि०, मौजा जंगल बेनी माधव नं० १, गोरखपुर।	गोरखपुर	25000				
6	मेसर्स फ़ारेवर डिस्टिलरी प्रा० लि०, प्लाट सं०-ए, यू०पी०सी०ड० औद्योगिक क्षेत्र, उसरा बाजार, तहसील-ऊदपुर, जनपद-देवरिया।	देवरिया	25000				
7	मेसर्स बजाज हिन्दुस्थान शुगर एण्ड इण्डस्ट्रीज लि० (फ़ार्मसी व प्रतापपुर शुगर एण्ड इण्डस्ट्रीज लि०), प्रतापपुर, देवरिया।	देवरिया	5000				
8	मेसर्स इण्डियन पोटाश लिमिटेड, इकाई-सिसवा बाजार, जनपद-महाराजगंज।	महाराजगंज	5000				
9	मेसर्स इण्डियन पोटाश लि० (शुगर यूनिट), खड़डा, ग्राम- खड़डा, जनपद- कुशीनगर।	कुशीनगर	5000				



Signature

Miyawaki method 17500 Saplings (Annexure-8)




Atma

Miyawaki method 9000 Saplings (Annexure-9)



Atma



(Annexure-10)



हिन्दुस्तान उर्वरक प्रोप्रायटी लिमिटेड (HURL)
गोरखपुर परिसर
वित्तिय वर्ष - 2024-2025
क्षेत्रफल — 10 हे.
रोपित पौधों की सं. — 16000 पौध
रेज — मुख्यालय रेज
कार्यकारी विभाग — गोरखपुर क्षेत्रीय गोरखपुर

Amr

(Annexure-11)



Apm 2

(Safety Training Annexure-12)







Atma

	HINDUSTAN URVARAK & RASAYAN LTD	Document No.	IMS/O&U/CHS
		Issue No./Date	01/01-01-2024
		Rev. No./Date	00/-
Gorakhpur	Chemical handling training sheet	Offsite & Utilities	

Training Title: HCL, H₂SO₄ chemical handling
 Location: Cooling Tower Area
 Trainer/Instructor: Piyush Saha
 Date: 01/11/25
 Time: 15:35

Attendance Record

No.	Employee Name	Signature
1	Dharmendra Kumar	
2	Braj Kishor Shukla	
3	Sushil Mishra	
4	Indrajit	
5		
6		
7		
8		
9		
10		

Training Overview

Brief Description of Training: Hazardness involved during HCL & H₂SO₄ handling. unloading procedure of HCL & H₂SO₄

Trainer Certification

I certify that the above individuals attended and completed the training session.

Trainer Signature: Piyush Saha
 Date: 01/11/25

Apona

	HINDUSTAN URVARAK & RASAYAN LTD	Document No.	IMS/O&U/CHS
		Issue No./Date	01/01-01-2024
		Rev. No./Date	00/-
Gorakhpur	Chemical handling training sheet	Offsite & Utilities	

Training Title: Chemical handling



Location: ETP

Trainer/Instructor: Pooja Sahu

Date: 07/11/25

Time: 14:45

Attendance Record

No.	Employee Name	Signature
1	Shubham Pandey (912145)	
2	KAPIL Kumar Gaur (912165)	
3	Shailendra Kumar Kanaujia	Shailendra
4	Bajrang	Bajrang
5	Akash	Akash
6	Sushil Mishra	Sushil
7		
8		
9		
10		

Training Overview

Brief Description of Training:

Precautions during chemical handling & PPEs to be used.

Trainer Certification

I certify that the above individuals attended and completed the training session.

Trainer Signature: Pooja Sahu

Date: 07/11/25

Akash



[HURL]

HINDUSTAN URVARAK & RASAYAN LIMITED GORAKHPUR (U.P.)

Safety Training

Attendance Sheet

Venue: New M/s Suamim office

Date: 29/05/2015

Topic Discussed: General Safety Awareness and use of PPEs.

Sl. No.	Name	Designation	Department/ Agency	Signature
12	Santosh Yadav	G/F	Suamim Mech	<u>Santosh</u>
17	Dharmendra Nishad	H	"	<u>Dharmendra</u>
18	Pawan Prajapati	H	"	
19	Ashish Prajapati	G/F	"	<u>Ashish</u>
20	Lutawan	R	"	<u>Lutawan</u>
21	Harishankar Tiwari	G/F	"	<u>Harishankar</u>
22	Vijay Dubey	H	"	<u>V. K. Dubey</u>
23	Santosh Prajapati	H	"	<u>Santosh</u>
24	Munna Singh	H	"	<u>Munna Kumar Singh</u>
25	Raj Madhesiya	H	"	<u>Raj</u>
26	Vivek Singh	G/F	"	<u>Vivek</u>
27	Mangaru	R	"	
28	Savatu		"	
29	Pawan Gupta	Sup	"	<u>Pawan</u>
30	Rudreshwar	Roper	"	<u>Rudreshwar</u>
31	Raj		"	<u>Raj</u>
32	Mahant Yadav	R	"	<u>Mahant Yadav</u>
33	Mengra	R	"	<u>Mengra</u>
34	Pawan Kumar Prajapati	Helper	"	<u>Pawan Kumar Prajapati</u>

Santosh

Aman

(HOUR)

HINDUSTAN URVARAK & RASAYAN LIMITED Swamline
GORAKHPUR (U.P.) ARC Measurment

Safety Training

Attendance Sheet

Venue: Swamline office

Date: 3/6/25

Topic Discussed: Confined Space Entry

Sl. No.	Name	Designation	Department/ Agency	Signature
1	Bhupendar mishra	Sup.	Swamline Int	<u>Bf</u>
2	Vijendar	Fitter	"	<u>Vijendar</u>
3	Angad	Welder	"	<u>अंगद</u>
4	Rangirish	"	"	<u>Rangirish</u>
5	Rajesh	Crescutter	"	<u>राजेश</u>
6	Dhampal	S/F	"	<u>धमपाल</u>
7	Ankit	HR	"	<u>Ankit</u>
8	Anurshn	Store ker	"	<u>Anurshn</u>
9	Churishankar	S/F	"	<u>चुरिशंकर</u>
10	Ramu	S/F	"	<u>Ramu</u>
11	Ajay	H	"	<u>Ajay</u>
12	Sanjeev	Erection	"	<u>Sanjeev</u>
13	Ankit	HR/H		

Sanjeev

Sanjeev

HINDUSTAN URVARAK & RASAYAN LIMITED
GORAKHPUR (U.P.)

Safety Training

Attendance Sheet

Venue: Swamine Office

Date: 27/08/25

Topic Discussed: Permit System Review & PPEs Related topic.

Sl. No.	Name	Designation	Department/ Agency	Signature
	श्यामसुन्दर	H	Swamine	श्यामसुन्दर
	वज्रेश	H	"	वज्रेश
	उमाशंकर	H	"	उमाशंकर
	रवि कुमार	H	"	रवि कुमार
	जतिवत शर्मा	H	"	जतिवत शर्मा
	विवेकानन्द	H	"	विवेकानन्द
	प्रमोद कुमार	H	"	प्रमोद कुमार
	हमिदुर्रशी	H	"	Hamidursh
	अपेक्ष	H	Aminonia	Uppara
	Ankit Sinelhan	HR/Adm	Swamine	Ankit
	Aniwerk Singh	SUP (MECH)	SUP	Aniwerk
	Shri Kumar Yalan	"	Riggar	Shri
	गो-राम	"	"	गोरी शंकर
	Ramoo			Ramoo
	Sanjeev	"	S	Sanjeev
	Rahul Jaiswal	R	Swamina	R
	Dhambal	S/F	"	धामपाल
	Rajesh	G/C	"	राजेश
	पवन कुमार	R	"	पवन

APM



HINDUSTAN URVARAK & RASAYAN LIMITED

(A Joint Venture company of NTPC, CIL, IOCL, FCIL & HFCL)

Training Attendance Sheet

Venue : Training Center, HURL, GKP

Date: 14-07-2025

Training Topic Name:

First Aid, Fire Fighting, and SCBA (Self-Contained Breathing Apparatus)

Trainer's Name

Mr Sandeep Pandey

Sl.No	Employee ID	Employee Name	Department	Designation	Signature
1	912164	Ram Prasad Meena	O&U	DET	R.P
2	912179	Anjesh Yadav	O&U	DET	अंजेश यादव
3	912190	Pankaj	O&U	DET	पंडे
4	912167	Kaushal Kumar Meena	O&U	DET	कौशल मीना
5	912177	Aroorath Kumar Singh	O&U	DET	A
6	912186	Akash Singh	O&U Instrument	DET	Akash
7	S/G	D.K. PANDEY	Security	Guard	D.K.
8	S/G	Kailash Sah	Security	Guard	Kailash
9	Sup.	Chunmun Yadav	-do-	Sup.	Chunmun
10	S/G	Sanjay Yadav	-do-	Guard	Sanjay
11	S/G	R.S. Yadav	-do-	Guard	R.S.
12	912190	Ravi Gupta	Mech.	JEA-II	Ravi
13	NC09269	Abhishek Singh	Mech.	TRF	Abhishek
14	912153	Suneeb Khanwal	Mech.	JEA-II	Suneeb
15	811109	Vaibhav Tiwari	Mech	Engg.	Vaibhav
16	812139	Anuj Kumar	Mech	Engg.	Anuj
17	812140	Mayank Gupta	Mech	Engineer	Mayank
18	812082	Mandeep Negi	Elec	Asst	Mandeep
19	812034	Arix Bhattacharya	Elect	DM	Arix
20	912044	Manish Kr Gupta	Elect.	BAL	Manish
21	812036	Mohit Chaturvedi	Elec.	S.E.	Mohit
22	812168	Manoj Kumar Adhikari	HR	Officer	Manoj
23	812013	Sandeep Pandey	Fire Safety	SI Manager	Sandeep
24		Rajkumar Chaurasia	Fire	Fairman	Rajkumar
25		Rajaram Yadav	Fire	Fire man	Rajaram
26	812183	Mohd Shadoab	Electrical	GET	Mohd Shadoab
27	812187	Somnath Mishra	Electrical	GET	Somnath
	NC000947	Pradeep Singh Barman	I.T		Pradeep
Signature					

Atma



HINDUSTAN URVARAK & RASAYAN LIMITED

(A Joint Venture company of NTPC, CIL, IOCL, FCIL & HFCL)

Training Attendance Sheet

Venue : Training Center, HURL, GKP

Date: 15-07-2025

Training Topic Name:

First Aid, Fire Fighting, and SCBA (Self-Contained Breathing Apparatus)

Trainer's Name Mr Sandeep Pandey

Sl.No	Employee ID	Employee Name	Department	Designation	Signature
1	812125	Rajiv Pathak	Security	Security officer	Rajiv
2	UA03 4522	Sanjay K. Dhuriya	INST.	Tech.	Sanjay
3		Ramaswamy Yadav	Inst.	Tech.	Ramach
4	912155	Neeraj Pand	Mechanical	JEA-II	Neeraj
5	912118	ENDRESH YADAV	Mechanical	JEA-II	Endresh
6	913102	Vishal Sharma	Mechanical	J.E.A.-II	Vishal
7	SLG	Ramkailash Singh	Security Guard	SLG	Ramkailash
8	SLG	D.K. Pandey	Security Guard	Guard	D.K.
9	SLG	Ajay Kumar Tripathi	Security Guard	Guard	Ajay
10	SUP	Subhash Pal	Security	SUP	Subhash
11	SLG	Arvind Kumar Singh	Security Guard	SLG	Arvind
12	812165	Shrawan Sharma	Mechanical	Engg	Shrawan
13	811300	Aditya Pratap Gupta	Mechanical	Engineer	Aditya
14	812154	Chaurav. Singh	Mechanical	Engineer	Chaurav
15	NC09121	Sarvesh Kumar Gupta	Pharmacist	Pharmacist	Sarvesh
16	912134	Rajesh Kumar Patwa	Mechanical	JEA-II	Rajesh
17	5989	Dewendra Kumar Chauhan	Electrical	Electrician	Dewendra Kumar
18	5988	Shivam Pandey	Electrical	Electrician	Shivam Pandey
19	912020	Ajmit Singh	Ammonia	JEA-I	Ajmit
20	912183	Surendra Singh	Ammonia	DET	Surendra Singh
21	92156	Deepak Poonia	Ammonia	D.F.I	Deepak
22	912039	Sharad Maheshwari	C&M Store.	JCA-II	Sharad
23	912136	Mukesh Chauhan	UPH	JEA-II	Mukesh
24	912048	Jampal	Instrument	JEA-II	Jampal
25	812161	Sumeet Kumar	E & RC	Assistant Mag.	Sumeet
26	912112	Tabrez Alam	E & RC	A.M	Tabrez
27					Atma

HINDUSTAN URVARAK & RASAYAN LIMITED GORAKHPUR (U.P.)

Safety Training

Attendance Sheet

Venue: Neer D.M Plant Shed

Date: 25/07/2025

Topic Discussed: General work safety and use of PPEs

Sl. No.	Name	Designation	Department/ Agency	Signature
1	Pranod Upadhyay	O/F	Samina.	Pranod
2	Alok Shukla	OP	INX	Alok
3	Satish Chandel yadav	Fitter	Ion Exchange	Satish
4	Shaw	"	"	Shaw
5	Anisudh	Rigger	"	Anisudh
6	Atul	Fitter	"	Atul
7	Mukesh	N/C Etc	"	Mukesh
8	Kamul	OP	"	Kamul
9	Om Prakash Sharma	Etc.	"	Om
10	Vikas Yadav	Help	Swamina	Vikas
11	Sunny Nishad	Help	"	Sunny Nishad
12	Vaishali Sharma	Rigger	Swamin	Vaishali
13	Vinay Kumar	Electrician	Vinay	Vinay
14	Satyam	"	Satyam	Satyam
15	Mukesh Kumar	MW	Ion Exchange	Mukesh
16	VISAY KUMAR	Help	ION Exch.	Vinay
17	Abhay Kumar	Helper	ION Ex.	Abhay
18	Gaurav Kumar Tripathi	Operator	ION Ex.	Gaurav
19	Sandeep Kumar	Helper	So	Sandeep Kumar

Dileep Kumar Singh / Arvind Yadav

[Signature]

[Signature]



HURL

HINDUSTAN URVARAK & RASAYAN LIMITED

GORAKHPUR (U.P.)

Safety Training

Attendance Sheet

Venue:-

New D M Plant Shed

Date: 05/09/2025

Topic Discussed:

Confined Space Entry work Safety

Sl. No.	Name	Designation	Department	Signature
01	Saurabh Singh	Site In.	Operation	Saurabh
02	Gaurav Tripathi	field Oper.	" "	Gaurav
03	Adok Shukla	" "	" "	Adok
04	Vipin Prajapati	Electrician	Electrical	Vipin
05	Satyam Tripathi	"	"	Satyam
06	OM Prakash	"	"	om prakash
07	Rajan Kumar	Eng	Tec -	Rajan
8	Vijay	" "	" "	Vijay
	Chandrakeeth Bhamati	" "	"	Chandrakeeth
	Satish chand Yadav	"	Fitter	Satish
	Shani	"	"	Shani
	Atul	"	"	Atul
	Amruth	"	Rigger	Amruth
	Makesh	"	"	Makesh

Name & Signature of Trainer:

Dileep Kumar Singh

Dileep Kumar Singh

Atena

Annual Health checkup Employee List.

SR. NO.	EMP. ID	EMPLOYEE NAME	DATE OF JOINING	GENDER	DESIGNATION	DEPARTMENT	Checkup status Report
1	801013	Dipten Roy	11-09-2018	Male	Sr. VP	Project	Health checkup done and report received at OHC
2	811002	Sadanand Dubey	01-11-2018	Male	Sr. Manager	Electrical	Health checkup done and report received at OHC
3	811008	Arindam Majee	01-11-2018	Male	Deputy Manager	Instrumentation	Health checkup done and report received at OHC
4	811014	Vipin Kumar Singh	22-11-2018	Male	Deputy Manager	Mechanical	Health checkup done and report received at OHC
5	811018	Atul Sharma	11-12-2018	Male	Sr. Manager	Urea	Health checkup done and report received at OHC
6	811020	Selvakumar E	31-12-2018	Male	Deputy Manager	Offsites & Utilities	Health checkup done and report received at OHC
7	811023	Vineet Kumar	01-01-2019	Male	Deputy Manager	Mechanical	Health checkup done and report received at OHC
8	811028	Vinay Chaudhary	15-01-2019	Male	Sr. Manager	Mechanical	Health checkup done and report received at OHC
9	811035	Rama Shanker Lal	25-05-2019	Male	Associate Vice president	Operations	Health checkup done and report received at OHC
10	811054	Surya Prakash Singh	23-12-2019	Male	Sr. Manager	Engineering Services	Health checkup done and report received at OHC
11	811061	Anuj Kumar	09-08-2021	Male	Engineer	Ammonia	Health checkup done and report received at OHC
12	812148	Adbhut Ratan	22-05-2023	Male	Assistant Manager	Environment & Quality Control	Health checkup done and report received at OHC
13	811091	Harish Kumar Dwivedi	09-08-2021	Male	Engineer	Instrumentation	Health checkup done and report received at OHC
14	811094	Vineet	09-08-2021	Male	Engineer	Instrumentation	Health checkup done and report received at OHC
15	811109	Saurabh Tiwari	09-08-2021	Male	Engineer	Mechanical	Health checkup done and report received at OHC
16	811110	Abhishek Anand Srivastava	09-08-2021	Male	Engineer	Mechanical	Health checkup done and report received at OHC
17	811130	Shubham Singhal	21-08-2021	Male	Engineer	Offsites & Utilities	Health checkup done and report received at OHC
18	811192	Aishwarya Shahi	08-11-2021	Female	Officer	Store	Health checkup done and report received at OHC
19	811227	Ravi Mohan Bhandari	01-05-2023	Male	Engineer	Instrumentation	Health checkup done and report received at OHC
20	811233	Anjan Kumar	14-12-2021	Male	Assistant Manager	CER	Health checkup done and report received at OHC
21	811248	Agam Yadav	17-02-2022	Male	Officer	C&M	Health checkup done and report received at OHC
22	811251	Rishabh Kumar	13-05-2023	Male	Officer	Offsites & Utilities	Health checkup done and report received at OHC
23	811259	Abhishek Gautam	05-04-2022	Male	Officer	Marketing	Health checkup done and report received at OHC
24	812004	Shivanshu Tiwari	02-04-2019	Male	Deputy Manager	Instrumentation	Health checkup done and report received at OHC
25	812007	Manish Lakhnpal	26-09-2019	Male	Deputy Manager	Planning Project & monitoring	Health checkup done and report received at OHC
26	812009	Vibhor Gupta	11-10-2019	Male	Deputy Manager	QA&I	Health checkup done and report received at OHC
27	812010	Saddam Husain	17-10-2019	Male	Deputy Manager	QA&I	Health checkup done and report received at OHC
28	812011	Jaydrath Dinker	04-11-2019	Male	Sr. Manager	QA&I	Health checkup done and report received at OHC
29	812013	Sandeep Pandey	11-11-2019	Male	Sr. Manager	Safety	Health checkup done and report received at OHC
30	812016	Pranjal Prabodh	16-12-2019	Male	Sr. Engineer	Maintenance-Planning	Health checkup done and report received at OHC
31	812017	Dheendra Mohan Gaur	16-12-2019	Male	Deputy Manager	Ammonia	Health checkup done and report received at OHC
32	812019	Shashank Dwivedi	23-12-2019	Male	Deputy Manager	Safety	Health checkup done and report received at OHC
33	812021	Abhishek Singh	10-01-2020	Male	Assistant Manager	Mechanical	Health checkup done and report received at OHC
34	812022	Praveen Upadhyay	17-01-2020	Male	Deputy Manager	Instrumentation	Health checkup done and report received at OHC
35	812023	Shesh Narayan	15-01-2020	Male	Deputy Manager	Offsites & Utilities	Health checkup done and report received at OHC
36	812027	Santosh Kumar Jaiswal	31-01-2020	Male	Sr. Manager	Mechanical	Health checkup done and report received at OHC
37	812028	Sarthak Chauhan	24-01-2020	Male	Deputy Manager	Process	Health checkup done and report received at OHC
38	812029	Ujjawal Singh	24-01-2020	Male	Sr. Engineer	Mechanical	Health checkup done and report received at OHC
39	812030	Brijesh Kumar Pal	03-02-2020	Male	Deputy Manager	Urea	Health checkup done and report received at OHC
40	812031	Abhinay Dewangan	04-02-2020	Male	Deputy Manager	Mechanical	Health checkup done and report received at OHC
41	812032	Anup Chandra Paul	20-02-2020	Male	Sr. Engineer	Offsites & Utilities	Health checkup done and report received at OHC
42	812033	Arup Chandra Paul	24-02-2020	Male	Deputy Manager	Offsites & Utilities	Health checkup done and report received at OHC
43	812034	Avik Bhattacharya	26-02-2020	Male	Deputy Manager	Electrical	Health checkup done and report received at OHC
44	812036	Mohit Chaturvedi	17-03-2020	Male	Sr. Engineer	Electrical	Health checkup done and report received at OHC
45	812037	Soumen Dhar	04-03-2020	Male	Sr. Engineer	Civil	Health checkup done and report received at OHC
46	812038	Naveen Prabhat	04-06-2020	Male	Sr. Manager	Instrumentation	Health checkup done and report received at OHC
47	812039	Shivam Gupta	05-06-2020	Male	Deputy Manager	Ammonia	Health checkup done and report received at OHC
48	812041	Abhishek Singh Tomar	15-06-2020	Male	Sr. Engineer	Instrumentation	Health checkup done and report received at OHC
49	812040	Prashant Kumar Yadav	12-06-2020	Male	Assistant Manager	Instrumentation	Health checkup done and report received at OHC

101	812121	Anil Kumar Singh	01-02-2022	Male	Executive Grade 1	Security	Health checkup done and report received at OHC
102	812122	Aravind Shukla	05-02-2022	Male	Executive Grade 1	Security	Health checkup done and report received at OHC
103	812123	Ballu Ram Yadav	07-02-2022	Male	Executive Grade 2	Security	Health checkup done and report received at OHC
104	812124	Durgesh Kumar Singh	08-02-2022	Male	Manager	C&M	Health checkup done and report received at OHC
105	912027	Rishabh Manik	09-03-2022	Male	Junior Engineer Assistant I	Urea	Health checkup done and report received at OHC
106	812126	Lakshbir Nehra	10-02-2022	Male	Executive Grade 2	Security	Health checkup done and report received at OHC
107	812127	Mahesh Kumar Samal	10-02-2022	Male	Executive Grade 2	Security	Health checkup done and report received at OHC
108	812128	Kanti Ballabh Sharma	11-02-2022	Male	Executive Grade 1	Security	Health checkup done and report received at OHC
109	812129	Alok Kumar Rai	14-02-2022	Male	Assistant Manager	Finance	Health checkup done and report received at OHC
110	812130	Mayank Tripathi	14-02-2022	Male	Chief Security Officer	Security	Health checkup done and report received at OHC
111	812131	Ajay Kumar Singh Tomar	16-02-2022	Male	Officer	Security	Health checkup done and report received at OHC
112	912117	Pushpendra Maurya	05-12-2022	Male	Junior Lab Assistant II	Environment & Quality Control	Health checkup done and report received at OHC
113	812133	Abhishek Sahu	24-02-2022	Male	Engineer	Process	Health checkup done and report received at OHC
114	812134	Govind Raghav Roy	07-03-2022	Male	Engineer	IT	Health checkup done and report received at OHC
115	812136	Anubhav Pathak	16-04-2022	Male	Engineer	Ammonia	Health checkup done and report received at OHC
116	812137	Manishankar Raju	13-05-2022	Male	Officer	Offsites & Utilities	Health checkup done and report received at OHC
117	812138	Roshan Kumar Tiwari	28-10-2022	Male	Assistant Manager	Engineering Services	Health checkup done and report received at OHC
118	812139	Anuj Kumar	12-12-2022	Male	Engineer	Mechanical	Health checkup done and report received at OHC
119	812140	Mayank Gupta	21-12-2022	Male	Engineer	Mechanical	Health checkup done and report received at OHC
120	812142	Astha Vajpayee	27-03-2023	Female	Officer	HR	Health checkup done and report received at OHC
121	812144	Abhishek Kumar Singh	08-05-2023	Male	Engineer	Instrumentation	Health checkup done and report received at OHC
122	812149	Devesh	24-05-2023	Male	Engineer	Offsites & Utilities	Health checkup done and report received at OHC
123	812150	Manoj Kumar Yadav	31-05-2023	Male	Engineer	Offsites & Utilities	Health checkup done and report received at OHC
124	812151	Sunil Patel	07-06-2023	Male	Assistant Manager	Environment & Quality Control	Health checkup done and report received at OHC
125	812152	Ranvijay Pal	17-06-2023	Male	Engineer	Ammonia	Health checkup done and report received at OHC
126	812067	Manmohan Kumar Rauniyar	28-06-2021	Male	Sr. Engineer	Ammonia	Health checkup done and report received at OHC
127	812154	Gaurav Singh	23-06-2023	Male	Engineer	Mechanical	Health checkup done and report received at OHC
128	812155	Vikash Singh	24-06-2023	Male	Engineer	Instrumentation	Health checkup done and report received at OHC
129	812157	Ramvilas Kushwaha	10-07-2023	Male	Officer	Safety	Health checkup done and report received at OHC
130	812158	Amit Kumar	12-07-2023	Male	Assistant Manager	Store	Health checkup done and report received at OHC
131	812159	Satyendra Pratap Singh	12-07-2023	Male	Engineer	Instrumentation	Health checkup done and report received at OHC
132	812161	Sumeet Kumar	17-07-2023	Male	Assistant Manager	Environment & Quality Control	Health checkup done and report received at OHC
133	812162	Hemant Maurya	25-07-2023	Male	Engineer	Ammonia	Health checkup done and report received at OHC
134	812164	Anand Kumar Madheshiya	29-07-2023	Male	Assistant Manager	Urea Product Handling	Health checkup done and report received at OHC
135	812165	Shivanshu Sharma	07-08-2023	Male	Engineer	Mechanical	Health checkup done and report received at OHC
136	812166	Vatandeep Yadav	30-08-2023	Male	Engineer	Process	Health checkup done and report received at OHC
137	812125	Raju Pathak	24-07-2023	Male	Officer	Security	Health checkup done and report received at OHC
138	813016	Nitin Saxena	22-11-2019	Male	Associate Vice president	Technical Services	Health checkup done and report received at OHC
139	813051	Akhilendra Singh	21-04-2021	Male	Vice President	Maintenance	Health checkup done and report received at OHC
140	813056	Shiv Pratap Singh	02-06-2021	Male	Assistant Manager	Urea Product Handling	Health checkup done and report received at OHC
141	813059	Shyam Ji Misra	01-07-2021	Male	Sr. Engineer	Civil	Health checkup done and report received at OHC
142	813091	Ankur Pandey	14-02-2023	Male	Manager	C&M	Health checkup done and report received at OHC
143	813146	Satyendra Prakash Singh	19-07-2023	Male	Manager	Civil	Health checkup done and report received at OHC
144	814059	Saty Prakash Pandey	27-07-2021	Male	Sr. Engineer	Mechanical	Health checkup done and report received at OHC
145	814062	Shubham Srivastava	27-07-2021	Male	Sr. Engineer	Offsites & Utilities	Health checkup done and report received at OHC
146	912001	Shubham Patel	06-01-2022	Male	Junior Engineer Assistant I	Instrumentation	Health checkup done and report received at OHC
147	912007	Vikram Singh Kushwaha	08-01-2022	Male	Junior Engineer Assistant I	Electrical	Health checkup done and report received at OHC
148	912020	Ajeet Kumar Singh	07-02-2022	Male	Junior Engineer Assistant I	Ammonia	Health checkup done and report received at OHC
149	912025	Souravh Singh	10-02-2022	Male	Junior Engineer Assistant I	Ammonia	Health checkup done and report received at OHC
150	812132	Sunil Kumar	22-02-2022	Male	Officer	Security	Health checkup done and report received at OHC

201	912124	Aashish Kushawaha	26-12-2022	Male	Junior Engineer Assistant II	Ammonia	Health checkup done and report received at OHC
202	912128	Vinayak Kumar	16-01-2023	Male	Junior Engineer Assistant II	Ammonia	Health checkup done and report received at OHC
203	912129	Braj Kishor Shukla	16-01-2023	Male	Junior Engineer Assistant II	Offsites & Utilities	Health checkup done and report received at OHC
204	912130	Abhishek Kumar Singh	13-02-2023	Male	Junior Engineer Assistant II	Ammonia	Health checkup done and report received at OHC
205	912131	Vikas	21-02-2023	Male	Junior Engineer Assistant II	Ammonia	Health checkup done and report received at OHC
206	912132	Chandrabhas Verma	21-02-2023	Male	Junior Engineer Assistant II	Ammonia	Health checkup done and report received at OHC
207	912133	Aman Kumar	23-02-2023	Male	Junior Lab Assistant II	Urea	Health checkup done and report received at OHC
208	912134	Rajesh Kumar Patwa	01-03-2023	Male	Junior Engineer Assistant II	Environment & Quality Control	Health checkup done and report received at OHC
209	912136	Mukesh Chauhan	04-03-2023	Male	Junior Engineer Assistant II	Mechanical	Health checkup done and report received at OHC
210	912137	Ravindra Giri	06-03-2023	Male	Junior Engineer Assistant II	Urea Product Handling	Health checkup done and report received at OHC
211	912138	Diwakar Singh	10-03-2023	Male	Junior Engineer Assistant II	Urea Product Handling	Health checkup done and report received at OHC
212	912139	Sanjay Singh	10-03-2023	Male	Junior Engineer Assistant II	Ammonia	Health checkup done and report received at OHC
213	912140	Ritesh Kumar Mishra	15-03-2023	Male	Junior Engineer Assistant II	Ammonia	Health checkup done and report received at OHC
214	912141	Rajeshwar	16-03-2023	Male	Junior Engineer Assistant II	Urea	Health checkup done and report received at OHC
215	912142	Ajeet Srivastava	19-10-2023	Male	Junior Engineer Assistant II	Urea	Health checkup done and report received at OHC
216	912143	Chandan Maurya	09-11-2023	Male	Junior Engineer Assistant II	Offsites & Utilities	Health checkup done and report received at OHC
217	912144	Subhash Kumar Maddheshia	18-11-2023	Male	Junior Engineer Assistant II	Mechanical	Health checkup done and report received at OHC
218	912145	Shubham Pandey	21-11-2023	Male	Junior Engineer Assistant II	Urea Product Handling	Health checkup done and report received at OHC
219	912146	Manish Kamal	23-11-2023	Male	Junior Engineer Assistant II	Offsites & Utilities	Health checkup done and report received at OHC
220	912147	Satyam Kumar Yadav	23-11-2023	Male	Junior Engineer Assistant II	Ammonia	Health checkup done and report received at OHC
221	912148	Shubham Dixit	29-11-2023	Male	Junior Engineer Assistant II	Mechanical	Health checkup done and report received at OHC
222	912150	Ashok Prasad Kushwahan	05-12-2023	Male	Junior Engineer Assistant II	Urea Product Handling	Health checkup done and report received at OHC
223	912151	Rameshwar Nath Pandey	13-12-2023	Male	Engineer Assistant I	Mechanical	Health checkup done and report received at OHC
224	912153	Suneep Dhanwal	24-01-2024	Male	Junior Engineer Assistant II	Offsites & Utilities	Health checkup done and report received at OHC
225	912154	Kuldeep Dahanwal	24-01-2024	Male	Junior Engineer Assistant II	Mechanical	Health checkup done and report received at OHC
226	913030	Ajay Kumar Pant	23-04-2022	Male	Junior Engineer Assistant II	Mechanical	Health checkup done and report received at OHC
227	913095	Vijay Kumar Yadav	20-03-2023	Male	Store Assistant I	C&M	Health checkup done and report received at OHC
228	913102	Vishal Sharma	16-01-2024	Male	Engineer Assistant I	Electrical	Health checkup done and report received at OHC
229	912155	Niraj Pant	23-02-2024	Male	Junior Engineer Assistant II	Mechanical	Health checkup done and report received at OHC
230	812168	Manoj Kumar Adhikary	15-05-2024	Male	Junior Engineer Assistant II	Mechanical	Health checkup done and report received at OHC
231	812169	Dharmendra Kumar Das	15-05-2024	Male	Officer	HR	Health checkup done and report received at OHC
232	913040	Ajay Upadhyay	16-05-2022	Male	Officer	HR	Health checkup done and report received at OHC
233	812170	Vinay Kumar Tiwari	20-09-2024	Male	Junior Engineer Assistant II	Electrical	Health checkup done and report received at OHC
234	812171	Saurabh Singh	20-09-2024	Male	Officer	Finance	Health checkup done and report received at OHC
235	913091	Jai Kishan	16-11-2022	Male	Engineer	Ammonia	Health checkup done and report received at OHC
236	811300	Aditya Pratap Gupta	17-09-2024	Male	Junior Engineer Assistant II	Mechanical	Health checkup done and report received at OHC
237	812172	Anirudhha Tripathi	30-09-2024	Male	Engineer	Mechanical	Health checkup done and report received at OHC
238	811186	Tushar Kanti Mallick	08-11-2021	Male	Engineer	Urea	Health checkup done and report received at OHC
239	812173	Utkarsh Mishra	14-10-2024	Male	Officer	Marketing	Health checkup done and report received at OHC
240	811315	Anit Yishwakarma	09-12-2024	Male	Engineer	Urea	Health checkup done and report received at OHC
241	811317	Vishnu Kumar Pandey	12-12-2024	Male	Engineer	Electrical	Health checkup done and report received at OHC
242	811319	Sharvan Sinha	23-12-2024	Male	Additional Chief Manager	Urea	Health checkup done and report received at OHC
243	811324	Anoop Kumar Singh	04-02-2025	Male	Engineer	Electrical	Health checkup done and report received at OHC
244	811026	Mahesh Kumar Singh Kontey	10-01-2019	Male	Additional Chief Manager	Ammonia	Health checkup done and report received at OHC
245	811051	Saurabh Singh	14-11-2019	Male	Sr. Manager	Ammonia	Health checkup done and report received at OHC
246	811202	Ravi Prakash	08-11-2021	Male	Sr. Engineer	IT	Health checkup done and report received at OHC
247	811100	Aditya Pratap Singh Chauhan	09-08-2021	Male	Officer	Dispatch & Plan	Health checkup done and report received at OHC
248	811316	Amit Kumar Tiwari	09-12-2024	Male	Engineer	Electrical	Health checkup done and report received at OHC
249	814183	Prashant Swami	05-10-2024	Male	Sr. Manager	Finance	Health checkup done and report received at OHC
				Male	Engineer	Urea	Health checkup done and report received at OHC