

COMPLIANCE REPORT

(MoEF & CC File No. J-11011/166/2016-IA II (I) dated 31/07/2017)

For the period

April 2020 to September 2020

Submitted

TO

MoEF & CC, Regional Office (ECZ), Lucknow

AMMONIA UREA FERTILIZER PLANT

(2200MTPD Ammonia & 3850MTPD Urea)

GORAKHPUR

NOVEMBER 2020



हिंदुस्तान उर्वरक एवं रसायन लिमिटेड
HINDUSTAN URVARAK & RASAYAN LTD.
(A joint Venture of NTPC, CIL, IOCL, FCIL & HFCL)



HINDUSTAN URVARAK & RASAYAN LIMITED

(A JV of NTPC, CIL, IOCL, FCIL & HFCL)

Admin. Building HURL Campus, Fertilizer Gorakhpur-273007

Ref. No.: HURL/GKP/20-21/

Date: 05/12/2020

To,
Dr. Satya
Scientist E
Regional Officer (RO)
(Central Zone CZ)
Kendriya Bhavan, 5th Floor
Sector-H, Aliganj, Lucknow-226020 (U.P.)

Subject: Ammonia (2200 MTPD) Urea (3850 MTPD) Fertilizer Project at Gorakhpur, Uttar Pradesh of M/s Hindustan Urvarak & Rasayan Limited (HURL)-Compliance Report for April 2020 to September 2020.

Ref:(i) MoEF&CC, Environmental Clearance Letter No. J-11011/166/2016-IA II (I) dated 31.07.2017.

Dear Sir,

With reference to the subject as mentioned above, please find attached herewith the compliance report for the period April 2020 to September 2020.

Yours faithfully

(Subodh Dixit)

Sr. Manager

Hindustan Urvarak & Rasayan Ltd. (HURL)
Admin Building, Fertilizer Township Gorakhpur
PO-Fertilizer Factory, Dist. - Gorakhpur-273007
Telefax – 0551-2261177

S.NO.	CONTENT	PAGE NO
1	COMPLIANCE OF EC CONDITIONS FOR THE PERIOD APRIL 2020 TO SEPTEMBER 2020	1
2	ANNEXURE-1	10
3	HURL GORAKHPUR AIR QUALITY DATA APRIL 2020 TO SEPTEMBER 2020	11
4	HURL GORAKHPUR AIR QUALITY DATA APRIL 2020 TO SEPTEMBER 2020	12
5	HURL GORAKHPUR GROUND WATER QUALITY DATA APRIL 2020 TO SEPTEMBER 2020	13
6	HURL GORAKHPUR SURFACE WATER QUALITY DATA APRIL 2020 TO SEPTEMBER 2020	14
7	HURL GORAKHPUR NOISE QUALITY DATA APRIL 2020 TO SEPTEMBER 2020	15
8	ANNEXURE II RAINWATER HARVESTING	16
9	ANNEXURE III GREEN BELT DEVELOPMENT & PLANTATION OF TREES	18
10	ANNEXURE IV MONITORING REPORT	20
11	ANNEXURE V AGREEMENTS & NO OBJECTION CERTIFICATES	24

COMPLIANCE OF EC CONDITIONS FOR THE PERIOD April 2020 to September 2020

Sl. No.	EC Conditions	Compliance status
A	SPECIFIC CONDITIONS	
	Emissions-limits for the pollutants from the Diesel Generator Sets and the stack height shall be in conformity with the extant statutory regulations and/or the CPCB guidelines in this regard.	The electricity is being supplied by UPPCL (Uttar Pradesh Power Corporation Limited) for construction purpose in the Ammonia- Urea Fertilizer Project at HURL Gorakhpur. The statutory emission norms shall be met by using New Generation DG sets during operating phase of the Plant. Stacks are being constructed meeting statutory regulation & guidelines.
	To control source emissions, scrubber and/or other suitable pollution control device shall be installed to meet the prescribed Particulate Matter emission norms of 50 mg/Nm ³ , and also the NAAQS.	This has been addressed in the Feasibility Report of the Project and shall be complied with in the Plant during operation.
	Fresh water requirement shall not exceed 5.36 cum/ton of Urea production. Fresh water for plant operation shall be sourced only from Chilwa Taal. During construction phase, ground water may be used after prior permission in this regard from the concerned regulatory authority.	Ground water withdrawal is envisaged during construction phase through existing tube-wells. Fresh water Consumption norms shall be met during "Normal Plant operation"
	Plantation shall be carried out around the Chilwa Taal.	The plantation shall be carried out in consultation with the district forest department by selecting the local Plant species which flourish in the area's climate & supports maximum bio-diversity in the environment.
	As already committed by the project	The Project is based on ZLD concept

	proponent, no waste/treated water shall be discharged outside to ensure ZLD. Water consumption shall be reduced by adopting 3 R's (Reduce, Reuse & Recycle) concept in the process.	adopting 3R's and there will be no discharge outside the project boundary.
	Industry shall develop Greenbelt with 10m width along the plant periphery with three layers of perennial native plant species. 33% of the total project cover area i.e. nearly 130 acres out of 350 acres of area of the Project, shall be developed as green area with plantation of native perennial trees.	The conditions for provision of Green Belt will be complied with and will be in place by the time of Commissioning of the Plant. Plantation will be started from the start of early next year along the eastern & northern plant boundary of approximate 5000 trees.
	A plan shall be prepared and implemented for the conservation of Chilwa Taal giving special emphasis on protection of conservation of its natural recharge channels	Water of chilwa taal shall be used during operation of the Plant. Capacity enhancement of taal shall be taken up with minimum submergence of upstream areas. The highest pond level is being finalized through consultant.
	All the commitments made during Public Hearing/Public Consultation meeting held on 24 th April, 2017 shall be satisfactorily implemented and adequate budget provision should be made accordingly.	All the commitments made during Public Hearing/Public Consultation meeting held on 24 th April, 2017 shall be satisfactorily implemented and adequate budget provision will be made in the Project accordingly.
	At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs and action plan with financial and physical breakup/details shall be prepared and submitted to the Ministry's Regional Office at Lucknow. Implementation of such program shall be ensured accordingly in a time bound manner within 5 years. The ECS	ESC program will be carried out and adequate budget will be provided in the Project. Detailed action plan along with budget will be provided once the plant becomes operational.

	<p>plan will include following activities:</p> <ul style="list-style-type: none"> b. Up-gradation of existing school with modern education facilities c. Planting of 5000 trees per year in 5 year in nearby villages in consultation with the local / forest dept. Survival rate of the plants shall be reported to RO, MoEF&CC in 6monthly compliance report. Conservation plant for shall be continue with. d. Safe drinking water facility with RO plant in villages located within 3 Km radius of the plant with maintenance cost. 	
	<p>A regular environment manager having post graduate qualification in environmental sciences/environmental engineering to be appointed for looking after the environmental management activities of the proposed plant.</p>	<p>The EC conditions relating to establishment of Environmental Cell will be complied during operation of the Plant.</p>
	<p>Continuous online (24 X 7) monitoring system for emissions and effluent generation shall be installed for flow/discharge measurement and the pollutants concentration within the plant. Data shall be uploaded on company's website and provided to the respective RO of MoEF&CC, CPCB and SPCB.</p>	<p>This will be implemented during operation phase.</p>
	<p>The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms. The ammonia storage shall be limited to 2 days.</p>	<p>This has been addressed in the Feasibility Report and RRA conducted for the Project and recommendation shall be complied with in the Plant during operation.</p>
	<p>Occupational health surveillance of the workers shall be done on a regular basis and</p>	<p>Regular health check-up/monitoring of the construction labourers is being</p>

	records maintained as per the Factories Act.	done and records are being maintained for the same. We have also started with covid-19 related safety & health measures by adopting sanitization; thermal scanning guidelines for workers, compulsory PPE like face masks etc. All the construction workers are ensured to be equipped with PPEs such as helmets, hand gloves, boots etc. before entering into construction site. The same shall continue during plant operation phase.
	Storage of hazardous raw material shall not exceed more than 7 days.	The raw material required for construction activities are being stored in the designated place isolated from the construction area. The storage of raw materials has been addressed in the Feasibility Report and EIA report of the Project and shall be complied with in the plant during operation.
	Urea dust shall be controlled by prescribed standard technique.	This has been addressed in the Feasibility Report and EMP of the Project and shall be complied with in the plant during operation.
B	GENERAL CONDITIONS	
i)	The Project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board (SPCB), State Government and any other statutory authority.	HURL shall strictly comply with the conditions laid by UPPCB, UP State Government and any other statutory authority during construction and operation phase of the plant.

ii)	No further expansion or modifications in the Plant shall be carried out without prior approval of the MoEF&CC. In case of deviations or alterations in the project proposal from those submitted to MoEF&CC for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	This condition will be complied with as stated.
iii)	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as. Where maximum ground level concentrations are anticipated.	The locations of ambient air quality monitoring have been decided in consultation with the UP State Pollution Control Board (UPPCB) and HURL officials for monitoring of Air Quality during construction phase. 6Nos. of AAQMS have been installed in the project area out of which two stations are selected in up-wind and two stations are selected in down-wind directions.
iv)	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated is November, 2009 shall be followed.	All efforts are being made to contain the fugitive dust emission within the standard limits at construction site. This will also be complied with during operation phase.
v)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules,	All efforts are being made to contain the noise levels within the standard limits at construction site round the clock. All construction equipment's deployed at site are ensured to have acoustic hoods and silencers/enclosures on sources of noise generation. The construction

	1989 viz. 75 dBA (day time) and 70 dBA (night time).	workers at site are equipped with ear muffs. This condition will also be complied with during operation phase of the plant.
vi)	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	This condition will be complied with as given in <i>Annexure II</i> while designing the buildings.
vii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	This condition will be complied with during operation phase of the plant.
viii)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing be implemented.	This condition will be complied in totality as stated.
ix)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	Once the plant becomes operational, CSR activities will be undertaken by involving local villages and administration as per rules and government guidelines.
x)	The company shall undertake all eco-developmental measures including community welfare measures for overall improvement of the environment.	Once the plant becomes operational, CSR activities will be undertaken by involving local villages and administration as per rules and

		government guidelines.
xi)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	This has been addressed in the Feasibility Report of the Project and shall be complied with in the Plant during operation.
xii)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management, pollution control measures shall not be diverted for any other purpose. (xiii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParisad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions, representations, if any, were received while processing the proposal.	This stated condition will be complied by HURL.
xiii)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParisad /Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions, representations, if any, were received while processing the proposal.	The copy of Environment Clearance letter issued by MoEF&CC have been uploaded to company website www.hurl.net.in and also advertised in the local editions of English and Hindi news papers.
xiv)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data	Presently in construction phase, monitoring function of specified parameters are being done by MoEF&CC recognized & NABL

	(both in hard copies as well as by mail) to the respective Regional Office of MoEF& CC, the respective Zonal Office of Environmental Clearance and six-monthly compliance status reports shall be posted on the website of the company.	accredited environmental laboratory of the HUBERT Enviro, Chennai which is hired as a third party by Projects and Development India Ltd (PDIL), Noida.
xv)	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF& CC by-mail.	The Environment Statement is submitted in each financial year ending 31 st March in From-V.
xvi)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://moef.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Environment Clearance granted by Ministry vide MoEF& CC letter no J-11011/166/2016-IA II(I) DATED 31/07/2017 has already been updated on Company website www.hurl.net.in . The same was also advertised on 16.09.2017 on page .13 in Hindustan in (Hindi) and page 09 in Hindustan Times in (English) published from Gorakhpur, UP and submitted herewith as Annexure- VI along with the Compliance Report.

xvii)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	This shall be complied with and requisite information will be furnished.
-------	--	--

(Subodh Dixit)
Sr. Manager
Hindustan Urvarak & Rasayan Ltd. (HURL)
Admin Building, Fertilizer Township Gorakhpur
PO-Fertilizer Factory, Dist. - Gorakhpur-273007
Telefax – 0551-2261177

Compliance of EC conditions for the period April 2020 - September 2020 for proposed Ammonia - Urea (2200MTPD & 3850 MTPD) plants of HURL at Gorakhpur

ANNEXURE- I

This Compliance Report is the fulfillments of the condition of the Environmental Clearance (EC) vide File No. EC [IA/UP/IND2/54269/2016, J - 11011/166/2016- IA II (I)] for the period of April 2020 to September 2020. This report has been prepared by Projects and Development India Limited (PDIL) by collecting respective samples in consultation with the State Pollution Control Board (SPCB) officials and Hindustan Urvarak and Rasayan Limited (HURL) officials. During the above mentioned period the analysis of the environmental parameters has been conducted by the NABL accredited Laboratory at PDIL, Noida & HUBERT Enviro, Chennai and under the strict supervision of the Government Analyst.

The proposed project is located at Gorakhpur with the capacity of 2200MTPD Ammonia and 3850MTPD Urea in the District Gorakhpur in the state of Uttar Pradesh. The area falls in the agricultural belt of the Uttar Pradesh.

The compliance report fulfills the 15 Nos. of Specific Conditions and 17 Nos. of General Conditions led by Ministry of Environment, Forests and Climate Change. Rainwater Harvesting and Ground Water charging has been proposed as per Standard Guidelines:

- Guidelines on Artificial Recharge of Water, Central Water Ground Board, Ministry of Water Resources, GoI (2000)
- Manual on Artificial Recharge of Ground Water, Central Water Ground Board, Ministry of Water Resources, GoI (2007)
- Rain Water Harvesting and Conservation: Manual, Consultancy Services Organization, CPWD, GoI (2002)

The green belt proposed by MoEF&CC is under review for selection of suitable plant species in consultation with local experts of the area.

The Environmental Monitoring report of 6 months w.r.t Air, Water and Noise have been presented separately with the average values. The environmental conditions and the compliance have been found normal as per the Standards. The Air Quality results have been presented through a self explanatory table with the NAAQ Standards w.r.t the parameter PM₁₀, PM_{2.5}, NO_x, SO₂, CO & NH₃. Three sets each of Ground Water Samples and Surface Water Samples have been collected, analyzed in a self explanatory table and compared with Drinking Water Standards (IS:10500:2012). The analysis consists of eight nos. of physical parameters, thirteen nos. of chemical parameters, nine nos. of Heavy metals and three nos. of miscellaneous parameters. Noise Quality has also been measured at six different locations in the periphery of the project area. The results have been presented through self explanatory table consisting of the Standard NAAQS w.r.t. noise.

The above report with respect to Air, Water and Noise represents the average values of different sampling stations collected at different time during the study period of April 2020 to September 2020.

(Handwritten signature)

HURL Gorakhpur Air Quality Data April-20-September-20

Compliance of EC conditions for the period April 2020 - September 2020 for proposed Ammonia - Urea (2200MTPD & 3850 MTPD) plants of HURL at Gorakhpur

ANNEXURE- I

HURL GORAKHPUR, AIR QUALITY DATA - 2020								
MONTH	Parameters	NAAQS Standards	HURL Plant (SA1)	HURL Admin Building (SA2)	HURL residence Quarter B-8 (SA3)	HURL residence Quarter E-13 (SA4)	Karmaha Village (SA5)	Bargadwa Village (SA6)
MAY	PM ₁₀	100	92.33	92.50	88.80	84.00	89.20	91.00
	PM _{2.5}	60	50.3	52.7	50.6	50.5	51.1	52.2
	SO ₂	80	12.3	12.9	11.2	10.0	13.3	14.3
	NO _x	80	21.0	20.9	18.9	14.3	19.1	16.5
	CO	02	0.55	0.64	0.53	0.51	0.50	0.42
	NH ₃	400	BDL	BDL	BDL	BDL	BDL	BDL
	NMHC	-	4.34	2.75	5.42	3.00	4.45	3.11
	MHC	-	5.07	3.80	2.81	4.45	5.60	4.95
	VOC	-	5.72	2.71	4.51	2.59	3.48	4.09
	JUNE	PM ₁₀	100	112.00	110.80	104.60	100.60	105.30
PM _{2.5}		60	63.3	65.3	61.8	58.8	64.1	62.5
SO ₂		80	21.0	22.8	20.7	19.4	18.4	21.4
NO _x		80	30.7	30.8	28.2	26.1	25.9	28.2
CO		02	3.34	2.45	3.60	2.17	3.59	2.54
NH ₃		400	BDL	BDL	BDL	BDL	BDL	BDL
NMHC		-	5.19	5.53	4.24	4.33	5.94	5.10
MHC		-	6.17	4.68	4.01	4.56	6.67	5.89
VOC		-	6.55	3.82	5.30	3.70	6.05	5.59
JULY		PM ₁₀	100	86.70	93.20	86.80	86.20	89.00
	PM _{2.5}	60	50.1	55.8	51.5	50.5	49.5	54.3
	SO ₂	80	18.9	19.9	18.5	18.5	18.2	20.1
	NO _x	80	28.2	27.4	26.5	21.8	21.8	25.5
	CO	02	2.59	1.81	2.82	1.75	2.57	2.40
	NH ₃	400	BDL	BDL	BDL	BDL	BDL	BDL
	NMHC	-	4.24	4.71	3.65	3.63	5.14	4.07
	MHC	-	5.61	4.00	3.49	3.65	5.24	5.09
	VOC	-	5.54	3.37	4.32	3.33	4.86	4.85
	AUGUST	PM ₁₀	100	87.70	86.60	88.25	86.70	88.10
PM _{2.5}		60	47.0	51.3	47.3	48.5	48.5	49.7
SO ₂		80	18.4	18.8	19.7	18.7	20.7	19.0
NO _x		80	28.0	27.8	28.9	28.4	30.1	28.9
CO		02	2.00	2.33	1.98	2.49	2.41	2.43
NH ₃		400	BDL	BDL	BDL	BDL	BDL	BDL
NMHC		-	4.88	5.29	6.17	4.60	5.93	5.34
MHC		-	5.21	6.09	4.79	4.80	5.57	6.16
VOC		-	4.64	3.59	5.34	6.49	5.61	6.30
SEPT		PM ₁₀	100	85.25	90.13	87.38	86.88	89.13
	PM _{2.5}	60	48.1	53.6	51.9	53.5	53.1	54.8
	SO ₂	80	18.08	17.15	18.79	17.09	18.75	18.25
	NO _x	80	28.19	27.73	29.01	25.94	28.49	28.04
	CO	02	1.91	2.03	2.06	1.95	2.23	1.81
	NH ₃	400	BDL	BDL	BDL	BDL	BDL	BDL
	NMHC	-	6.11	6.31	5.48	5.81	5.96	6.48
	MHC	-	6.71	5.96	5.64	5.18	6.09	5.04
	VOC	-	5.71	5.46	5.01	4.95	5.97	5.67
	Average April* to Sept 2020	PM ₁₀	100	92.80	94.65	91.17	88.88	92.15
PM _{2.5}		60	51.76	55.74	52.62	52.36	53.26	54.70
SO ₂		80	17.74	18.31	17.78	16.74	17.87	18.61
NO _x		80	27.22	26.93	26.10	23.31	25.08	25.43
CO		02	2.08	1.85	2.20	1.77	2.26	1.92
NH ₃		400	BDL	BDL	BDL	BDL	BDL	BDL
NMHC		-	4.95	4.92	4.99	4.27	5.48	4.82
MHC		-	5.75	4.91	4.15	5.83	5.83	5.43
VOC		-	5.63	3.79	4.90	5.19	5.30	

NOTE: BDL = Below Detection Limit
 (µg/m³) = PM₁₀, PM_{2.5}, SO₂, NO_x, NH₃
 (ppm) = NMHC, MHC, (mg/m³) = CO, VOC

*April - The Environmental Monitoring was suspended due to Nationwide Lockdown (Corona virus pandemic situation)



HURL Gorakhpur Noise Quality Data April-20-September-20

Compliance of EC conditions for the period April 2020 - September 2020 for proposed Ammonia - Urea (2200MTPD & 3850 MTPD) plants of HURL at Gorakhpur

HURL GORAKHPUR, NOISE QUALITY DATA - 2020 (APRIL* - SEPT)								
MONTH	Parameters	Prescribed Limits in db(A) as per NAAQS Ind. / Res. Area	HURL Plant (SA1)	HURL Admin Building (SA2)	HURL residence Quarter B-9 (SA3)	HURL residence Quarter E-13 (SA4)	Karmaha Village (SA5)	Bargadwa Village (SA6)
MAY	24hrs Avg. Leq. Value db(A)	-	59.2	58.0	47.0	46.1	45.9	51.6
	Daytime Avg. Leq. Value db(A)	75/55/65	60.5	59.4	48.4	47.5	47.4	53.8
	Night time Avg. Leq. Value db(A)	70/45/55	53.0	51.9	40.3	40.4	39.5	44.5
JUNE	24hrs Avg. Leq. Value db(A)	-	56.8	54.7	44.5	45.2	46.0	44.5
	Daytime Avg. Leq. Value db(A)	75/55/65	61.1	59.6	49.4	49.4	48.6	51.8
	Night time Avg. Leq. Value db(A)	70/45/55	51.8	50.9	38.9	38.9	38.5	43.5
JULY	24hrs Avg. Leq. Value db(A)	-	59.9	58.6	47.7	47.7	46.7	52.2
	Daytime Avg. Leq. Value db(A)	75/55/65	61.5	60.1	49.3	49.3	48.2	53.8
	Night time Avg. Leq. Value db(A)	70/45/55	51.4	50.2	38.6	38.6	37.8	42.7
AUGUST	24hrs Avg. Leq. Value db(A)	-	55.4	54.1	42.9	42.8	41.9	47.2
	Daytime Avg. Leq. Value db(A)	75/55/65	60.5	59.1	48.3	48.3	47.2	52.9
	Night time Avg. Leq. Value db(A)	70/45/55	50.4	49.2	37.5	37.6	36.7	41.6
SEPT	24hrs Avg. Leq. Value db(A)	-	57.9	56.6	45.7	45.8	44.7	50.3
	Daytime Avg. Leq. Value db(A)	75/55/65	59.5	58.1	47.3	47.3	46.3	51.9
	Night time Avg. Leq. Value db(A)	70/45/55	49.3	48.1	36.4	36.5	35.7	40.5
Average April* to Sept 2020	24hrs Avg. Leq. Value db(A)	-	57.8	56.4	45.6	45.5	45.0	49.2
	Daytime Avg. Leq. Value db(A)	75/55/65	60.6	59.3	48.5	48.4	47.5	52.8
	Night time Avg. Leq. Value db(A)	70/45/55	51.2	50.1	38.3	38.4	37.6	42.6

*April - The Environmental Monitoring was suspended due to Nationwide Lockdown (Corona virus Pandemic situation)

21/9/2020



HURL Gorakhpur Ground Water Quality April-20-September-20

Compliance of EC conditions for the period April 2020 - September 2020 for proposed Ammonia - Urea (2200MTPD & 3850 MTPD) plants of HURL at Gorakhpur

HURL, GORAKHPUR, GROUND WATER QUALITY DATA- 2020
AVERAGE RESULTS (APRIL * TO SEPTEMBER 2020)
 (Results are expressed in mg/l, unless otherwise stated)

Sl. No	Parameters	Average Analysis Results			Requirement (Acceptable) / Permissible Limits (IS:10500:2012)
		Hand Pump Adm. Bldg. (Project Site) (GW1)	Hand Pump Quarter No B-8 (GW2)	Hand Pump Bargadwah (GW3)	
PHYSICAL					
1	pH	7.2	7.4	7.5	6.5-8.5
2	Temperature (°C)	29.7	29.3	29.3	-
3	Colour, HU	<5	<5	<5	5/15
4	Odour	Agreeable	Agreeable	Agreeable	Unobj.
5	Taste	Agreeable	Agreeable	Agreeable	Agreeable
6	Turbidity (NTU)	<5	<5	<5	1/5
7	Total Suspended Solid	20	21	23	-
8	Total Dissolved Solids	408	404	413	500/2000
CHEMICAL					
1	P- Alkalinity as CaCO ₃	NIL	NIL	NIL	-
2	Total Alkalinity as CaCO ₃	189	209	220	200/600
3	Chloride as Cl	69	76	66	250/1000
4	Sulphate as SO ₄	59	63	73	200/400
5	Nitrate as NO ₃	5.7	6.3	6.4	45/NR
6	Fluoride as F	<0.4	<0.4	<0.4	1.0/1.5
7	Total Hardness as CaCO ₃	394	366	342	300/600
8	Ca. Hardness as CaCO ₃	245	212	192	75/200
9	Mg. Hardness as CaCO ₃	149	158	150	30/100**
10	Sodium as Na	21.4	28.0	25.3	-
11	Potassium as K	3.5	4.5	3.2	-
12	Silica as SiO ₂	17	17	17	-
13	Iron as Fe	0.40	0.25	0.28	0.3/NR
HEAVY METALS					
1	Manganese as Mn	BDL	BDL	BDL	0.1/0.3
2	Total Chromium as Cr	BDL	BDL	BDL	0.05/NR
3	Lead as Pb	BDL	BDL	BDL	0.01/NR
4	Zinc as Zn	0.66	0.76	0.55	5.0/15
5	Cadmium as Cd	BDL	BDL	BDL	0.003/NR
6	Copper as Cu	BDL	BDL	BDL	0.05/1.5
7	Nickel as Ni	BDL	BDL	BDL	0.02/NR
8	Arsenic as As	BDL	BDL	BDL	0.01
9	Selenium as Se	BDL	BDL	BDL	0.01/NR
OTHERS					
1	Oil & Grease	BDL	BDL	BDL	0.01/0.03
2	Ph. Compound as C ₆ H ₅ OH	BDL	BDL	BDL	0.001/0.002
3	Coliform (MPN/100ml)	<50	<50	<50	-

*April - The Environmental Monitoring was suspended due to Nationwide Lockdown (COVID-19 Pandemic situation)



HURL Gorakhpur Surface Water Quality Data April-20-September-20

Compliance of EC conditions for the period April 2020 - September 2020 for proposed Ammonia - Urea (2200MTPD & 3850 MTPD) plants of HURL at Gorakhpur

HURL, GORAKHPUR, SURFACE WATER QUALITY DATA- 2020
AVERAGE RESULTS (APRIL* TO SEPTEMBER 2020)
 (Results are expressed in mg/l, unless otherwise stated)

Sl. No.	Parameters	Rohini River (SW1)	Dismantled Pump House ChilwaTaal, (SW2)	Near New Bridge ChilwaTaal (SW3)	Requirement (Acceptable) / Permissible Limits (IS:10500: 2012)
PHYSICAL					
1	Temperature (°C)	29.1	29.1	29.6	-
2	Colour, HU	17.4	12.8	17.6	5/25
3	Turbidity (NTU)	26.2	29	33	5/10
4	pH	7.5	7.6	7.2	6.5-8.5
5	Total Dissolved Solids	404	393	406	500/2000
6	Suspended Solids	62	57	58	
CHEMICAL					
1	Total Alkalinity as CaCO ₃	172	181	167	200/600
2	Chloride as Cl	72	73	78	250/1000
3	Sulphate as SO ₄	68	75	69	200/400
4	Nitrate as NO ₃	5.9	6.0	5.4	45/NR
5	Fluoride as F	<0.4	<0.4	<0.4	1.0/1.5
6	Total Hardness as CaCO ₃	337	389	386	300/600
7	Calcium Hardness as CaCO ₃	191	226	226	75/200
8	Magnesium Hardness as CaCO ₃	146	163	160	30/100
9	Dissolve Oxygen	7.0	6.7	6.3	-
10	COD	25.0	24.6	27.5	-
11	BOD ₅ (3 days at 27° C)	4.6	4.8	5.2	-
12	Sodium as Na	31	19	27	-
13	Potassium as K	5	3	4	-
HEAVY METALS					
1	Iron as Fe	0.17	0.23	0.23	0.3/NR
2	Manganese as Mn	BDL	BDL	BDL	0.1/0.3
3	Total Chromium as Cr	BDL	BDL	BDL	0.05/NR
4	Lead as Pb	BDL	BDL	BDL	0.01/NR
5	Zinc as Zn	0.89	0.76	0.63	5.0/15
6	Cadmium as Cd	BDL	BDL	BDL	0.003/NR
7	Copper as Cu	BDL	BDL	BDL	0.05/1.5
8	Nickel as Ni	BDL	BDL	BDL	0.02/NR
9	Arsenic as As	BDL	BDL	BDL	0.01
10	Selenium as Se	BDL	BDL	BDL	0.01/NR
OTHERS					
1	Oil & grease	BDL	BDL	BDL	0.01/0.03
2	Phenolic Compound	BDL	BDL	BDL	0.001/0.002
3	Coliform (MPN/100ml)	678	684	688	-

*April - The Environmental Monitoring was suspended due to Nationwide Lockdown (Corona virus Pandemic situation)

21/09/20



HURL Gorakhpur Noise Quality Data April-20-September-20

Compliance of EC conditions for the period 16th September 2019 – 15th March 2020 for
Proposed Ammonia-Urea (2200MTPD & 3850 MTPD) plants of HURL at Gorakhpur

HURL, GORAKHPUR, NOISE QUALITY DATA-2019-20
AVG. (16th SEPTEMBER 2019 to 15th MARCH 2020)

MONTH	Parameters	Main Gate HURL Plant (SA1)	Admin Building HURL (SA2)	HURL Residential Campus Quarter No B-9 (SA3)	HURL Residential Campus Quarter No E-13 (SA4)	Karmaha Village (SA5)	Bargadwah (SA6)	Prescribed Limits in dB(A) as per NAAQS (Ind. / Res. Area)
16 th September to 15 th October 2019	24-hrs Avg L _{eq} Value dB(A)	64.5	63.2	52.1	52.2	51.1	56.6	-
	Day time L _{eq} Value dB(A)	65.8	64.5	53.5	53.4	52.5	58	75/55
	Night time L _{eq} Value dB(A)	58.6	57.6	46	46.1	45.3	50.5	70/45
16 th October to 15 th Nov. 2019	24-hrs Avg L _{eq} Value dB(A)	58.2	57.6	51.3	50.5	50.3	55	-
	Day time L _{eq} Value dB(A)	64.1	62.3	52.4	54.1	53.6	58.7	75/55
	Night time L _{eq} Value dB(A)	52.3	52.8	47.2	47.1	46.9	51.2	70/45
16 th November to 15 th December 2019	24-hrs Avg L _{eq} Value dB(A)	57.3	57.3	51.3	51.4	51.6	56	-
	Day time L _{eq} Value dB(A)	62.3	61.1	51.8	55.4	54.9	60.1	75/55
	Night time L _{eq} Value dB(A)	52.3	53.4	47.8	47.3	48.2	51.8	70/45
16 th December 2019 to 15 th Jan. 2020	24-hrs Avg L _{eq} Value dB(A)	59.1	57.4	51.3	52	52.9	57.3	-
	Day time L _{eq} Value dB(A)	63.9	60.4	52.3	56.8	56.2	61.9	75/55
	Night time L _{eq} Value dB(A)	54.2	54.6	48.6	47.2	49.5	52.7	70/45
16 th Jan. to 15 th Feb. 2020	24-hrs Avg L _{eq} Value dB(A)	60.6	56.8	51.3	52.9	54	58.2	-
	Day time L _{eq} Value dB(A)	65.3	58.3	53.1	57.9	57.2	63.5	75/55
	Night time L _{eq} Value dB(A)	55.9	55.3	48.9	47.8	50.7	52.8	70/45
16 th Feb. to 15 th March 2020	24-hrs Avg L _{eq} Value dB(A)	61.6	60.2	49	49.1	48.3	53.2	-
	Day time L _{eq} Value dB(A)	64.9	63.2	52.4	52.3	51.6	56.8	75/55
	Night time L _{eq} Value dB(A)	58.2	57.1	45.5	45.9	44.9	49.6	70/45
AVG. 16 th Sept. 2019 to 15 th March. 2020	24-hrs L _{eq} Value dB(A)	60.2	58.8	51.1	51.4	51.4	56.1	-
	Day time L _{eq} Value dB(A)	64.4	61.6	52.6	55.0	54.3	59.8	75/55
	Night time L _{eq} Value dB(A)	55.3	55.1	47.3	46.9	47.6	51.4	70/45

M. K. (17)



Annexure II

RAINWATER HARVESTING

The rain water collected from the roof of the permanent buildings shall be harvested for ground water recharge as a compensation to meet the requirement due to loss of permeable area promoting ground water recharge, maintenance of existing hydro-dynamic pattern of the area and to conserve the salinity of ground water in the area. The excess rainwater shall be sent to the trap through storm water drain and attempts shall be made not to mix any process waste with the storm water. The trap shall have two compartments, one consisting of sized boulders and the other, sized hard coke. The excess water from sized hard coke shall be collected in another tank before discharge in to natural drainage system. The drainage system of project area shall be aligned as per the existing natural drainage pattern of the area.

Rain water harvesting and recharging system shall be installed as per the relevant the central ground water board guidelines applicable for the area. The rain water harvesting/aquifer recharging system have been proposed as water conservation measure. The systems shall be installed at such location of the project area close to the Administrative building so as to facilitate collection of most of the rain water from the roofs of the building in the project area. Similarly, same system of rain water harvesting shall be implemented in the township.


The bores shall be provided within 3 m deep enclosures, which will comprise layers of boulders, gravel and coarse sand so as to separate suspended matter from the rainwater. Three nos. of ground water recharging systems have been proposed to be developed in the township area and three nos. in the factory area. Rainwater harvesting system will consist of the following units:

1. Rainwater Collection System
2. Rainwater Filtration System
3. Rainwater Recharging Pond including an active well of depth 20m and dia 100-150mm.

The system will be cleaned during dry season and will be made ready to collect water for harvesting from its command area during monsoon. Provision shall also be made in the rainwater harvesting system for Chlorination/disinfection especially during the first phase of monsoon. The system shall be designed as per the guidelines for rainwater harvesting prepared by Central Ground Water Board (Ministry of Water Resources).

The scheme of rain water harvesting and aquifer recharging is presented below:

Block Diagram for Proposed Rain Water Harvesting / Aquifer Recharging System



The rainwater harvesting system for the fertilizer plant will follow the guidelines laid out by different Departments/Ministries as far as possible.

- a) Guidelines on Artificial Recharge of Water, Central Water Ground Board, Ministry of Water Resources, GoI (2000);
- b) Manual on Artificial Recharge of Ground Water, Central Water Ground Board, Ministry of Water Resources, GoI (2007);
- c) Rain Water Harvesting and Conservation: Manual, Consultancy Services Organization, CPWD, GoI (2002);

The sizing of the rain water collection drain and sub-units including the harvesting pond shall be calculated depending upon the maximum rain intensity within 50 years and roof area of the building after finalization of the building design.

(Subodh Dixit)
Sr Manager
Hindustan Urvarak & Rasayan Ltd. (HURL)
Admin Building, Fertilizer Township Gorakhpur
PO-Fertilizer Factory, Dist. - Gorakhpur-273007
Telefax – 0551-2261177

Annexure III

GREEN BELT DEVELOPMENT & PLANTATION OF TREES

The project proponent shall develop greenbelt in an area of 33% i.e., nearly 130 acres out of 350 acres plant area of the project. The greenbelt of 10m width around periphery shall be provided (Plate A)

5000 trees per year in 5 year shall be planted in nearby village with the consultation of the villagers. Survival rate of plants shall be reported to RO, MoEF&CC in 6 monthly compliance reports.

Purpose

Trees and plants are an essential component of healthy environment. In addition to maintaining the oxygen-carbon dioxide balance in the atmosphere through photosynthesis, trees and plants control air and noise pollution, control soil erosion, provide food and shelter to domestic and wild animals including birds and insects, and improve the aesthetic value of the environment. The utility of the green belt predominantly lies in its capacity to attenuate the fugitive emission and spillage. Thus, the objectives of the proposed green belt program are as follows:

- a) To control air pollution due to fugitive emissions and spillage.
- b) To attenuate noise generated by various machines.
- c) To attenuate the effect of accidental release of toxic gases.
- d) To reduce the effect to fire and explosion.
- e) To improve the general appearance and aesthetics of the area.
- f) To provide food and habitat for wildlife.
- g) To control soil erosion.
- h) To obscure the proposed facilities from general view.

Areas to be afforested

Gorakhpur Fertilizer plant shall be established in vacant land in the battery limit of FCI of 350 acres of land. Green-belt development program shall be undertaken in 33% of the plant area including 10 m wide green belt around the battery limit of the plant. There exists a green cover around the existing abandoned fertilizer plant. The existing township is well planned with a proper forestation. While preparing the layout plan for locating the different facilities, extreme care has been exercised to preserve the existing plantation to the extent possible. Trees, lawns and gardens shall be developed within the premises to cover all the vacant areas. Extreme care shall be taken to utilize all available areas for forestation.

Scheme and Species for Green Belt

The general approach for selection of species for green belt development is their potential for attenuation of fugitive emissions and noise, diversity of vegetation, introduction of species attracting birds and animals, and to create a natural habitat. It is proposed to develop trees of different heights so as to provide cover from ground level up to the canopy of tall tree species. Further, trees with big foliage and those known to prosper well in the area will be developed. Preference will be given to fruit bearing trees so as to provide food and shelter to birds and insects.

The plan for development of green belt is as given below:

- a) The distance between two plants should not be less than 3.0 m so that a 10 m width green belt will have three to four rows of plantations. Thus, a 10 m wide green belt within a plant boundary of 1.0 km will have 1110 plants.
- b) A pit of 45 cm x 45 cm x 45 cm must be dug for plantation of saplings which are at least 6 months old.
- c) Saplings must be planted at the onset of monsoon.

Different species in the green belt suggested having dense stratified 3 to 5 layer canopy so as to form a visible barrier and wind breaker

- a) On the outer ring of the green belt facing fugitive emissions from the open surface and roads close plantation of 2 to 3 rows of evergreen *Alstoniascholaris* intermixed with *FicusCunea* and Babul.
- b) Behind the outer layer, fast growing evergreen plants having good fugitive emission removing capacity like evergreen *MahualIndica* and *Derris Indica*, Sagwan, Gambhar and Putranjiya.
- c) Middle layer may be planted with Silver Oak which is tall, hardy and evergreen.
- d) In the next layer some typical hard and fast growing plants like *Leucaena*, *Acacia auriculiformis*, *Cassia fistula*, *C. Siamea*, *Inga ducis* may also be considered.
- e) In the inner periphery Bouganvella may be planted as it has high capacity for absorbing toxic gases.
- f) Some plants having good timber value like *Dalbergiasissoo*, *Albizzialebbek*, *Azadiractaindica*, *Tectonsgrandis* along with fruit trees like Ber, Guava, Jamun, Jack fruit and Bel may also be planted to attract birds.
- g) For fencing purpose plants from *Asclepiadaceae* and *Apocynaceae* families like *AlstoniaCalotropis* which are resistant to grazing may be considered.
- h) The entire green belt may be interspersed with climbers.

Efforts would be made by M/s HURL in collaboration with State Forest Department to explore mutual areas of interest in the area of identifying trees/plants to maintain/enhance the current biodiversity index.

(Subodh Dixit)
Sr. Manager
Hindustan Urvarak & Rasayan Ltd. (HURL)
Admin Building, Fertilizer Township Gorakhpur
PO-Fertilizer Factory, Dist. - Gorakhpur-273007
Telefax – 0551-2261177

Annexure IV
Government of India
Ministry of Environment, Forests and Climate Change (MoEF&CC)
Regional Office – Lucknow

MONITORING REPORT

PART I
DATA SHEET

1		Project Type	Fertilizer
2		Name of the project	Ammonia-Urea Fertilizer Project Hindustan Urvarak & Rasayan Limited, Gorakhpur
3		Clearance letters/Om No. and dated	J-11011/166/2016-IAII(I)
4		Locations	Gorakhpur
	a	Taluk(S) District	Gorakhpur
	b	State(S)	Uttar Pradesh
	c	Latitudes/Longitudes	Location Longitude Latitude Elevation (m) Northern Boundary, 83 ⁰ 21'50"E 26 ⁰ 49'26"N 84 NW Boundary 83 ⁰ 21'50"E 26 ⁰ 49'15"N 83 Eastern Boundary 83 ⁰ 22'10"E 26 ⁰ 49'08"N 87 Western Boundary 83 ⁰ 21'25"E 26 ⁰ 48'58"N 85 South-West Boundary 83 ⁰ 21'27"E 26 ⁰ 48'54"N 84 South-East Boundary 83 ⁰ 21'58"E 26 ⁰ 48'53"N 84 Source: GPS
5		Address for correspondence	
	a	Address of concerned Project Chief Engineer (with Pin Code & Telephone/Telex/fax nos)	The Sr. Vice President Hindustan Urvarak & Rasayan Ltd. (HURL) Admin Building, Fertilizer Township Gorakhpur PO-Fertilizer Factory, Dist. - Gorakhpur-273007 Telefax – 0551-2261178
	b	Address of Executive Project Engineer (with Pin Code/fax numbers)	Senior Manager Hindustan Urvarak & Rasayan Ltd. (HURL) Admin Building, Fertilizer Township Gorakhpur PO-Fertilizer Factory, Dist. - Gorakhpur-273007 Telefax – 0551-2261177
6		Salient Features	
	a	Salient features of the project	The Ammonia and Urea plants shall be one of the latest mega capacity plants (2200 MTPD for Ammonia and 3850 MTPD for Urea). The technology suppliers shall consider the latest

			<p>technological features with an objective to have lowest energy consumption & high reliability of plant having state of the art technology with latest technological features. Ammonia and Urea plants planned shutdown shall be once in two years. One blast proof central control room for location of control & monitoring of operation of all Ammonia/Urea/Offsite & utility plants shall be provided by LSTK Contractor.</p> <p>The ETP facility shall treat all effluents, continuous, intermittent or emergency discharges from ammonia/urea plants. All liquid treated effluent from various sections of the plants shall be collected in final effluent pond made of RCC. The treated effluent shall be pre-treated with chemicals to make it Suitable for feeding to RO plant. The RO plant shall be two stage RO systems. The treated water from RO shall be recycled back to filtered water tank in WTP. The final reject waste water from WTP(ZLD Unit)units shall be further treated in thermal evaporation unit using low pressure steam to achieve zero liquid discharge from ETP plant.</p> <p>All Liquid & gaseous effluents generated from various plans & facilities shall be treated before final discharge to meet the requirements of Central/State pollution control board.</p>
	b	Of the environmental management plans.	<p>An Environmental Management Plan (EMP) has been prepared keeping in view all possible strategies oriented towards the impact minimization. The EMP for the proposed project is divided into three phases i.e. Planning, Construction and Operational phase.</p> <p>During the planning stage, Energy efficient machines with 5star rating shall be utilised along with LED street lights and use of solar energy. Ultra low NOx burners shall be integrated into the system to reduce NOx emissions. All piping and instrumentation diagrams and plant layout shall be reviewed as a part of HAZOP/HAZAN studies to assess the risks involved. Noise suppression measures such as enclosures and buffers will be used to limit noise levels in areas frequented by personnel to below 85 dB(A).</p> <p>The overall impact of the pollution on the</p>

			<p>environment during construction phase is localised in nature and is for a short period at all sites. In order to develop effective mitigation plan, all the construction activities shall be undertaken, controlled and managed by LST/Non-LSTK contractor under the guidance of PMC (PDIL). It is mandatory for these contractors to develop site/project specific HSE Policy, HSE Plan, HSE management system.</p> <p>The environmental management plan during the operational phase of the plant shall be directed towards the following:</p> <ul style="list-style-type: none"> • Ensuring the operation of various process units as per specified operating guidelines/operating manuals. • Strict adherence to maintenance schedule for various machinery/equipment. • Good Housekeeping practices. • Post project environmental monitoring 	
7		Breakup of the project area		
	a	Project area	598.22 acres (Plant Buildings-272 acre, Non-plant Building & Storage-326.22 acre)	
8		Breakup of project affected population with enumeration of those losing house/dwelling units only, agriculture land only, both dwelling units and agriculture land and landless labours/artisans	No Project Affected Persons are involved as there is no displacement of population. The project is coming up in old plant complex of FCIL, Gorakhpur.	
	a	SC, ST/Adivasis	NA	
	b	Others	NA	
9		Financial Details		
	a	Project cost as originally planned and subsequent revised estimates and the years of price reference	Rs. 7085 crore (Feb' 2017) Revised Estimate : Rs. 7085 crore (May 2019)	
	b	Allocation made for environmental management plans with item wise and year wise breakup	It is included in the project cost. Actual cost will be furnished after finalisation of engineering details.	
	c	Benefit cost ratio/internal rate of return and the years of assessment	Debt Service Coverage Ratio*	1.68
			Internal rate of Return*	11.85
			*As per Project Feasibility Report	
	d	Whether © includes the cost of environmental management as	Yes	

		shown in (b) above	
	e	Total expenditure on the Project so far	Rs. 4271.19crore
	f	Actual expenditure incurred on the environmental management plans so far	Rs. 90.00 Lac
10		Forest land requirement	No Forest Land is involved
	a	The status of approval for a diversion of forest land for non-forestry use	NA
	b	The status of compensatory afforestation, if any	NA
	c	The status of clear felling	NA
	d	Comments on the viability and sustainability of compensatory afforestation in the light of actual field experience so far	NA
11		The status of clear felling in no-forest area (such as submergence area of reservoir, approach road) if any with quantitative information	NA
12		Status of Construction	Construction of main plant is being done by M/s Toyo (TEIPL) and Off sites by other non LSTK contractors. Progress report is attached.
	a	Date of commencement	27 February 2018
	b	Date of completion (actual and / or planned)	36 months
13		Reasons for the delay if the project is yet to start	NA
14		Date of site visit	
	a	The dates on which the project was monitored by the Regional Office on previous occasions, if any	Visit to be done.
	b	Date of site visit for this monitoring report	Visit to be done

(Subodh Dixit)
Sr. Manager
Hindustan Urvarak & Rasayan Ltd. (HURL)
Admin Building, Fertilizer Township Gorakhpur
PO-Fertilizer Factory, Dist. - Gorakhpur-273007
Telefax – 0551-2261177

Annexure-5

Agreements & No Objection Certificates



उत्तर प्रदेश UTTAR PRADESH

DD 958672

DD 958672

पट्टा विलेख

वार्षिक किराया मु० 10000=00 प्रतिवर्ष प्रति हेक्टेयर
 औसत वार्षिक किराया (मु० 10,000=00 प्रतिवर्ष X 7.745 हेक्टेयर)=
 मु० 77450=00
 आर्टिकल 35(V) सेड्यूल. 1-बी के अनुसार मूल्यांकन-
 (औसत वार्षिक किराया मु० 77,450=00 X 6)= मु० 4,64,700=00
 यानी मु० 4,65,000=00
 मूल्यांकन का 4% अदा स्टैम्प-मु० 18,600=00



नगर निगम, गोरखपुर जरिये श्री रामसूचित, राजस्व निरीक्षक
 नगर निगम, गोरखपुर |.....प्रथम पक्ष।

राजस्व निरीक्षक
 नगर निगम, गोरखपुर




 सुबोध दीक्षित
 SUBODH DIXIT
 वरिष्ठ प्रबन्धक
 Sr. Manager
 हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
 HURL, Gorakhpur




50001
03
29.08.2020

हि-इलायत उर्वरक एवं रसायन लि० गो० ११२५५५ युनिट गो० ५५५५५
जिल्हा सुयोग्य दीक्षित कार्यालय प्रम-प्रक




अर्जातून
कार्यालय, कोल्हापूर, महाराष्ट्र, भारत
दिनांक: 29.08.2020



कार्यालय, कोल्हापूर, महाराष्ट्र, भारत

कार्यालय, कोल्हापूर, महाराष्ट्र, भारत





उत्तर प्रदेश UTTAR PRADESH

DD 958637

DD 958637

(2)



व

हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर यूनिट गोरखपुर
जरिये श्री सुबोध दीक्षित वरिष्ठ प्रबन्धक हिन्दुस्तान उर्वरक एवं
रसायन लिमिटेड, गोरखपुर।.....द्वितीय पक्ष।

ग्राम-जंगल बेनी माधव नं०-1, तप्पा-कस्बा, परगना-हवेली,
तहसील-सदर, जनपद-गोरखपुर स्थित ताल (सम्पत्ति नगर निगम)
आराजी संख्या-706/258, रकबा- 19.14 एकड़ यानी 7.745 हेक्टेयर
को द्वितीय पक्ष अपने कारखाने में जल आपूर्ति के लिये पट्टे पर लेना
चाहता है।

सहस्र निराधक
व्यव निराधक; गोरखपुर




सुबोध दीक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur




5000
33
29.6.2020

हि-इलान उवेक एव लामन लिं 01122014 युनिट गोखण्यु
जटिए लुवोळ दीकिन वोटक पुन-वक



राज्य प्रमुख
राज्य सरकार
राज्य प्रमुख
राज्य सरकार
राज्य प्रमुख
राज्य सरकार





उत्तर प्रदेश UTTAR PRADESH

DD 958638 DD 958638

(3)

फर्टिलाइजर कारखाना में जल आपूर्ति सुनिश्चित करने के सम्बंध में मा0 मुख्य सचिव, उत्तर प्रदेश शासन द्वारा दिनांक 15.02.2017 को शासन में आहूत बैठक में निर्देश दिया गया है कि नगर निगम गोरखपुर विधि के आलोक में इस सम्बंध में सार्थक विचार करे।


मा0 मुख्य सचिव, उत्तर प्रदेश शासन द्वारा दिये गये निर्देश के अनुसार एवं नगर निगम की धारा-128 में दिये गये प्राविधानों के अनुरूप शासन की स्वीकृति प्राप्त होने के पश्चात् निम्नलिखित शर्तों पर प्रथम पक्ष उक्त ताल को द्वितीय पक्ष को पट्टा पर देने हेतु सहमत है:-

1- यह कि शासन की स्वीकृति संख्या-1164/नौ-7-2018-7(जनरल)/2017 दिनांक 12 फरवरी, 2020 के क्रम में ग्राम-जंगल बेनी माधव नं0-1, स्थित ताल (सम्पत्ति नगर निगम) आराजी संख्या-706/258, रकबा-19.14 एकड़ यानी 7.745 हेक्टेयर का पट्टा द्वितीय पक्ष के हक में दिनांक

राजस्व निरीक्षक
नगर निगम, गोरखपुर
24/6/20




सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं न्यायन लिमिटेड, गोरखपुर
HURL, Gorakhpur



5000
34
29.6.2020

नां २० ३३.



[Faint, illegible text in Hindi script, likely a letter or official communication.]



[Small text block at the bottom left, possibly a signature or official note.]



उत्तर प्रदेश UTTAR PRADESH

BK 325757

(4)

13 फरवरी 2020 को नगर आयुक्त महोदय द्वारा स्वीकृति प्रदान कर दी गयी है। जिसमें पट्टे की अवधि 30 वर्षों की होगी यानी ताल के पट्टे की अवधि दिनांक 29.06.2020 से प्रारम्भ होकर दिनांक 28.06.2050 तक के लिए मान्य होगी। 30 वर्षों की अवधि समाप्त होने के पश्चात् प्रथम पक्ष की सहमति से अगले 25 वर्षों के लिये उक्त पट्टे का नवीनीकरण कराया जा सकेगा। जिसका रजिस्ट्री कार्यालय सदर, गोरखपुर में पंजीकरण कराया जाना अनिवार्य होगा।

- 2- यह कि द्वितीय पक्ष उक्त ताल से 1450 घनमीटर प्रतिघण्टे, जल प्राप्त कर सकेगा, किन्तु ताल में एक न्यूनतम जल स्तर बनाये रखने का दायित्व द्वितीय पक्ष का होगा, ताकि जलीय जीवन पर कोई दुष्प्रभाव न पड़े। यदि अवर्षण या अन्य किसी कारण से द्वितीय पक्ष को प्रतिघण्टे 1450 घनमीटर जल उपलब्ध नहीं हो पाता है तो उसके पूर्ति का दायित्व किसी भी दशा में प्रथम पक्ष का नहीं होगा।

राजस्व निरीक्षक
नगर निगम, गोरखपुर
[Signature]

[Signature]
सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur



उत्तर प्रदेश UTTAR PRADESH

BK 325758

- (5)
- 3- यह कि ग्राम-जंगल बेनी माधव नं0-1, स्थित ताल (सम्पत्ति नगर निगम) आराजी संख्या-706/258, रकबा-19.14 एकड़ यानी 7.745 हेक्टेयर का लगान रूपया 10,000=00 प्रतिवर्ष प्रति हेक्टेयर की दर से देय होगा। यदि दरों के सम्बंध में कोई शासनादेश अथवा अधिनियम में कोई परिवर्तन होता है, तो उसके अनुसार लगान की दर भी तदनुसार संशोधित होकर लगान दर से प्रतिवर्ष देय होगा। प्रत्येक वित्तीय वर्ष के समाप्ति के पूर्व द्वितीय पक्ष को पट्टा की धनराशि जमा करना अनिवार्य होगा।
- 4- यह कि द्वितीय पक्ष उक्त ताल का सौन्दर्यीकरण/सफाई का कार्य अपने व्यय पर करा सकता है। इस सम्बन्ध में सम्बंधित विभाग से अनापत्ति प्राप्त करने की जिम्मेदारी द्वितीय पक्ष की होगी।

राजेश्वर निरायण
वरिष्ठ अधिकारी/डी.ओ.



सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur



$$\frac{1000}{36}$$
 29.6.20.20

लॉट नं 33



0801
 ...
 ...
 ...

(d)
 ...
 ...
 ...



...
 ...





उत्तर प्रदेश UTTAR PRADESH

BK 325759

(6)

- 5- यह कि द्वितीय पक्ष, उक्त ताल में जल की उपलब्धता सुनिश्चित कराने के सम्बंध में ताल की खुदाई का कार्य, नगर निगम एवं सम्बंधित विभाग/विभागों से अनापत्ति प्राप्त करने के पश्चात् करा सकता है।
- 6- यह कि द्वितीय पक्ष उक्त ताल में जल आपूर्ति के लिए, पम्प हाउस या उससे सम्बंधित अन्य कोई निर्माण कार्य नगर निगम एवं सम्बंधित विभाग/विभागों से अनापत्ति प्राप्त करने के पश्चात् करा सकता है। उक्त कार्य के सम्बंध में नगर निगम, गोरखपुर की कोई जिम्मेदारी नहीं होगी।

राजस्व निरीक्षक
गोरखपुर, गोरखपुर
रु. 1000


सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur

1000
37
29.6.2020

सा. नं. 33.



राजकीय विद्यालय के माध्यम से प्राप्त किया गया है कि इस
प्रकार के प्रमाण पत्रों को प्रमाणित करने के लिए प्रमाण पत्रों को प्रमाणित
करने के लिए प्रमाण पत्रों को प्रमाणित करने के लिए प्रमाण पत्रों को प्रमाणित
करने के लिए प्रमाण पत्रों को प्रमाणित करने के लिए प्रमाण पत्रों को प्रमाणित
करने के लिए प्रमाण पत्रों को प्रमाणित करने के लिए प्रमाण पत्रों को प्रमाणित
करने के लिए प्रमाण पत्रों को प्रमाणित करने के लिए प्रमाण पत्रों को प्रमाणित
करने के लिए प्रमाण पत्रों को प्रमाणित करने के लिए प्रमाण पत्रों को प्रमाणित
करने के लिए प्रमाण पत्रों को प्रमाणित करने के लिए प्रमाण पत्रों को प्रमाणित



राजकीय विद्यालय
राजकीय विद्यालय
राजकीय विद्यालय
राजकीय विद्यालय
राजकीय विद्यालय





उत्तर प्रदेश UTTAR PRADESH

AE 412425

(7)

- 7- यह कि द्वितीय पक्ष उक्त ताल में पूर्व से हो रहे किसी भी परम्परागत कार्य में कोई हस्तक्षेप नहीं करेगा।
- 8- यह कि पट्टे की अवधि में, आवश्यकता पड़ने पर, प्रथम पक्ष को सम्पूर्ण ताल या उसके किसी भाग का कब्जा लेने का पूर्ण अधिकार होगा।

राज्य निरीक्षक
एच एच सिन्हा, गोरखपुर

जे.ए.ए.

सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर
HURL, Gorakhpur

6/29/2020

500

सां० 33

30

29 अक्टूबर 2020 2000950014524

पट्टा विलेख/ कबूलियतनामा



बही सं०: 1

रजिस्ट्रेशन सं०: 4293

प्रतिफल- 465000 स्टाम्प शुल्क- 18600 बाजारी मूल्य - 0 पंजीकरण शुल्क - 4650 प्रतिलिपिकरण शुल्क - 80 योग : 4730

श्री हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड जरिये वरिष्ठ प्रबन्धक द्वारा
सुबोध दीक्षित अधिकृत पदाधिकारी/ प्रतिनिधि,
वरिष्ठ प्रबन्धक
व्यवसाय : नौकरी
निवासी: हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर



श्री. हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड जरिये सुबोध दीक्षित अधिकृत
वरिष्ठ प्रबन्धक द्वारा पदाधिकारी/ प्रतिनिधि
ने यह लेखपत्र इस कार्यालय में दिनांक 29/06/2020
एवं 04:12:12 PM बजे
निबंधन हेतु पेश किया।


10/6/20

रजिस्ट्रीकरण अधिकारी के हस्ताक्षर

योगेन्द्र प्रताप सिंह
उप निबंधक :सदर प्रथम
गोरखपुर
29/06/2020

श्री दिनेश शाही
निबंधक लिपिक





उत्तर प्रदेश UTTAR PRADESH

CC 269185

(8)

9- यह कि द्वितीय पक्ष, किसी भी दशा में उक्त ताल या उसके किसी अंश का पट्टा/हस्तान्तरण किसी तीसरे पक्ष के पक्ष में नहीं करेगा।

उभय पक्ष उपरोक्त पट्टा विलेख पढ़ कर समझकर और सहमत होकर अपना-अपना हस्ताक्षर बनाया।

राजेश्वर विरीचक
रव १ दिनांक १/१०/२०१७
रु. ५०




सुबोध दिक्षित
SUBODH DIXIT
वरिष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड
HURL, Gorakhpur



6/29/2020
 39
 29.6.2020

तारीख 33.

आवेदन सं०: 202000950014524

बही सं०: 1

रजिस्ट्रेशन सं०: 4293

वर्ष: 2020

निष्पादन लेखपत्र वाद सुनने व समझने मजमुन व प्राप्त धनराशि रु प्रलेखानुसार उक्त

पट्टा दाता: 1

श्री नगर निगम गोरखपुर जरिये राजस्व निरीक्षक के द्वारा
 रामसूचित, राजस्व निरीक्षक

निवासी: नगर निगम गोरखपुर

व्यवसाय: नौकरी

पट्टा गृहीता: 1



श्री हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड जरिये वरिष्ठ
 प्रबन्धक के द्वारा सुबोध दीक्षित, वरिष्ठ प्रबन्धक

निवासी: हिन्दुस्तान उर्वरक एवं रसायन लिमिटेड, गोरखपुर

व्यवसाय: नौकरी



ने निष्पादन स्वीकार किया। जिनकी पहचान

पहचानकर्ता: 1

श्री अतुल कुमार, पुत्र श्री सुबाष चन्द्र राय

निवासी: ग्राम-दुधरा, पोस्ट-बनियावारी, खलीलाबाद,
 संतकबीर नगर

व्यवसाय: नौकरी

पहचानकर्ता: 2



श्री राजनारायण, पुत्र श्री रामउग्रह

निवासी: रामपुर चक, मानीराम, गोरखपुर

व्यवसाय: अन्य




रजिस्ट्रीकरण अधिकारी के हस्ताक्षर

ने की। प्रत्यक्षतः भद्र साक्षियों के निशान अंगुठे नियमानुसार
 लिए गए हैं।

टिप्पणी:

योगेन्द्र प्रताप सिंह
 उप निबंधक: सदर प्रथम
 गोरखपुर

श्री दिनेश शाही
 निबंधक लिपिक



उत्तर प्रदेश UTTAR PRADESH

CC 269218

हस्ताक्षर प्रथम पक्ष

(9)

हस्ताक्षर द्वितीय पक्ष

राबन्ध विरायत
नव नरेश्वर गोरखपुर
२९/६




सुबोध दिक्षित
SUBODH DIXIT
ज्येष्ठ प्रबन्धक
Sr. Manager
हिन्दुस्तान उर्वरक प्रा. लि. गोरखपुर निगम
HUKL, Gorakhpur



साक्षीगण:-

1- अतुल कुमार S/o.....
सुबाष चन्द्र रात्र
आ० दुधरा पोखरामिाबारी
खलीलाबाद, सतलखीर नगर

2- राज नारायण पट्टनयन S/o.....
शमभद्र पाण्डेय
आ० रामपुर चक्र पोखरामिाबारी
गोरखपुर

स्थान-गोरखपुर
दिनांक-29.06.2020

प्रारूपकर्ता

(गोविन्द सिंह)
एडवोकेट
कलेक्ट्री कचहरी, गोरखपुर

6/29/2020
38
40
29.6.2020
अविदन सं: 202000950014524

बही संख्या 1 जिल्द संख्या 16010 के पृष्ठ 357 से 382 तक क्रमांक 4293 पर दिनांक 29/06/2020 को रजिस्ट्रीकृत किया गया।

रजिस्ट्रीकरण अधिकारी के हस्ताक्षर
योगेन्द्र प्रतीप सिंह
उप निबंधक : सदर प्रथम
गोरखपुर
29/06/2020

(Subodh Dixit)
Sr. Manager
Hindustan Urvarak & Rasayan Ltd. (HURL)
Admin Building, Fertilizer Township Gorakhpur
PO-Fertilizer Factory, Dist. - Gorakhpur-273007
Telefax – 0551-2261177