

# Hindustan Urvarak & Rasayan Limited (A JV of NTPC, CIL, IOCL, HFCL and FCIL) Office of the Addl. General Manager (I/C), Sindri Project, HURL Old FCIL office Complex, Sindri, Dhanbad Jharkhand- 828122

Date: 08.11.2019

#### NOTICE INVITING TENDER

# TENDER DOCUMENT FOR SUPPLY AND INSTALLATION OF RO

#### WATER PURIFIER FOR HURL, SINDRI PROJECT, HURL

SINDRI, DHNABAD (Jharkhand-828122)

Tender Ref. No. - HURL/Sindri/C&M/RO WATER PURIFIER/TENDER/2019-20/1300

(This tender document contains 14 pages and bidders are requested to sign & stamp on all the pages. The Technical Bid and the Financial Bid should be placed and sealed in separate covers/envelopes super scribing <u>Technical Bid</u> & <u>Financial Bid</u>.)



#### **INTRODUCTION:**

Hindustan Urvarak & Rasayan Limited (HURL) was incorporated on 15th June, 2016 as a joint venture company by Coal India Limited (CIL), NTPC Limited (NTPC) and Indian Oil Corporation Limited (IOCL) as the lead promoters with Fertilizer Corporation of India Limited (FCIL) and Hindustan Fertilizer Corporation Limited (HFCL) as other two partners.

The three lead promoter companies of HURL namely CIL, NTPC and IOCL are amongst top Maharatna Public Sector Undertaking of the Government of India, belonging to Ministries of Coal, Power and Oil & Natural Gas. These three companies hold a total of 89% equity share with equal partnership, while FCIL and HFCL together have the balance 11% share against their usable assets, opportunity cost and use of land on lease basis at the three plant locations.

The initial Joint venture Agreement (JVA) was signed on 16th May, 2016 between CIL and NTPC, followed by a Supplemental JVA on 31st October, 2016 between CIL, NTPC, IOCL, FCIL and HFCL.

The Cabinet Committee on Economic Affairs (CCEA), Government of India, has formally approved the revival of the Gorakhpur & Sindri units of FCIL and Barauni unit of HFCL.

The prime objective of HURL is to establish and operate state of the art environment friendly and energy efficient Natural Gas based new Fertilizer Complexes (Ammonia-Urea) of 2200 MTPD Ammonia and 3850 MTPD Urea (1.27 MMTPA neem coated urea) at each of the three locations, and simultaneously market their products, thus spurring economic growth in the eastern India.

The feedstock to the plant i.e. Natural gas would be supplied by Gas Pooling mechanism to supply at uniform delivered price to all the fertilizer plants on gas grid for production of urea.

#### Location:

The existing Sindri Fertilizer unit of Fertilizer Corporation of India Ltd. (FCIL) is located in the district of Dhanbad in the state of Jharkhand. Sindri is well connected with major cities by rail/road. Dhanbad district head quarter is about 26 KM from Sindri and in an important division head quarter of East Central Railway.

The historical Grand Trunk Road and National Highway NH-02 connecting Kolkata and Delhi passes only about 25KM from Sindri Factory area.



## **NOTICE INVITING TENDER:**

Sealed tenders are invited from Original Equipment Manufacturer/Authorized dealer for supply and installation of 04 No's RO Water Purifier for Hindustan Urvarak & Rasayan Limited, Sindri Project. The technical details of required RO Water Purifier is enclosed as **Annexure 1**. The tender is two-part bid and the bidder should quote in sealed envelopes for two-part bid tender:

- a) Part I: Technical Bid (As per Annexure A)
- b) Part II: Financial Bid (As per Annexure B)

Separate sealed envelopes of both bids, super scribed as "Technical Bid" and "Financial Bid" should be placed in third envelop super scribed with

"Tender Ref. No. -HURL/Sindri/C&M/RO WATER PURIFIER/TENDER/2019-20/...., Dated - 08.11.2019, Tender for Supply and Installation of RO Water Purifier.

The bidders are requested to send their sealed bid form completed in all respect either by courier / post or dropped in the tender box provided at office the Addl. General Manager (I/C) Room no-12, 1st floor of Old FCIL Administrative building, Sindri Project, Near SBI Bank, Rorabandh, Sindri, Dhanbad, Jharkhand-828122 on or before 22.11.2019. by 15:00 Hrs.

The technical bid of the tender will be opened by Tender Opening Committee of the Sindri Project, HURL on the same date at Conference Room, 1<sup>st</sup> floor, Old FCIL Administrative building, Sindri Project, Near SBI Bank, Rorabandh, Sindri, Dhanbad, Jharkhand-828122 17.00 Hrs. in presence of intending bidders or the authorized representatives of intending bidders.

Date and time of the opening of the financial bid(s) will be decided after the evaluation of technical bids by the Tender Evaluation Committee. The financial bids of only those tenderers will be opened, who qualifies the technical evaluation criteria, and accordingly the date, time and venue of opening of financial bids will be intimated.

The tenderers are requested to read the tender document carefully and ensure to comply with all the instructions herein. Non-compliance of the instructions contained in this document may disqualify the tenderer from the tendering exercise. The clarification, if required may be obtained from the administrative office on any working day between 10:00 Hrs. to 17:00 Hrs. from 08.11.2019 to 22.11.2019 on contact No. 9031000943 / 9414255204.

Email- deepakkumar@hurl.net.in / mukeshbhinchar@hurl.net.in

Deepak Kumon

WARAK & PASPAN AN LINE
HURL

\*\*SMORT PROJECT\*\*

# PRE - QUALIFICATION CRITERIA:

I. Only Original Equipment Manufacturer (OEM) or their Authorized dealer/distributor/agent are eligible to bid. Authorization letter from manufacturer in favour of authorized dealer/distributor/agent to bid against this tender must be enclosed with technical bid.

II. The tenderer shall be required to submit the Earnest Money Deposit as mentioned in subsequent paragraph.

III. The tenderer should not have been debarred or blacklisted by any Central / State Government Departments of India. An affidavit to that effect on Non-Judicial stamp paper of Rs. 100/- dully notarized must be enclosed with the technical bid in prescribed format. The proforma of the affidavit is attached with the tender as  $\mathbf{Annexure} - \mathbf{2}$ .

IV. Signature and seal of the tenderer required on all the pages of tender document to confirm the acceptance of entire term and conditions of the tender by the tenderer, which are to be submitted along with technical bid and financial bid. The tender document will be the part of technical bid.

#### **EARNEST MONEY DEPOSIT:**

The tenderer shall be required to submit the Earnest Money Deposit (EMD) for an amount of Rs. 10000/- (Rupees Ten Thousand only) in the shape of "Demand Draft". The Demand Draft should be in favour of "Hindustan Urvarak & Rasayan Limited" payable at Sindri. Other mode of EMD will not be accepted.

The original demand draft should be enclosed with Technical Bid of the tender. Any Technical Bid found without the demand draft of Earnest Money Deposit will be rejected. The HURL will not be liable to pay any interest on EMD submitted with tender document. The earnest money deposit shall be forfeited, if the tenderer withdraws its bid during the period of tender process and finalization of the tender.

The earnest money deposit of the tenderer, whose tender has been accepted, will be returned on the submission of the performance security. Earnest money deposit of the successful tenderer shall be forfeited, if refuses or neglects to execute the order or fails to furnish the required performance

Page 4 of 13

Derpak Kuman

security within the time frame as specified by the Institute.

After the award of the contract to the successful tenderer, the earnest money deposit of the unsuccessful tenderer(s) will be returned within 30 days.

#### **VALIDITY OF THE PRICE BID:**

Quoted rates must be valid for a period of 30 (Thirty) days from the date of closing of the tender. The overall offer for the assignment and tenderer's quoted price shall remain unchanged during the period of validity.

In case the tenderer withdraws, modifies or changes his offer during the validity period, the tender is liable to be rejected and the earnest money deposited shall be forfeited without assigning any reason thereof. The tenderer should also be ready to extend the validity, if required, without changing any terms, conditions etc. of their original tender.

#### WARRANTY:

The RO Water Purifier(s) shall be quoted with a minimum 36 months on-site warranty / guarantee against any manufacturing defect, poor quality of material, workmanship and it will be reckoned from the date of the installation. Defective RO Water Purifiers shall be replaced / or repaired within 3 days from the date of written complaint at their own cost. Rejected items, if any, have to be removed and replaced within 3 days from the date of complaint.

#### **DELIVERY AND INSTALLATION:**

All the ordered RO Water Purifiers should be delivered and installed in appropriate place within 4 weeks from the date of receipt of the purchase order. All the aspects of safe delivery and installation shall be the exclusive responsibility of the supplier.

## LIQUIDATED DAMAGES (LD):

If the supplier fails to perform the satisfactory installation / commissioning of the RO Water Purifiers and / or which is not ready to use within stipulated time, the liquidated damages at the rate 0.50% of the order value per day of delay or part there of subject to a maximum of 5 % of the order value shall be recovered from the contractor.

In case the supplier has failed to complete the order / project within the stipulated time, Institute







reserves the right to cancel the contract / order and performance security / EMD may be forfeited.

#### PERFORMANCE SECURITY:

After the award of work, the supplier shall be required to submit the performance security in the form of DD by any Nationalized Bank for an amount equal to the 2% of order value and it will be kept valid for a period of 60 days beyond the date of completion of warranty period. The DD should be in the name of **Hindustan Urvarak & Rasayan Limited** payable at Sindri. The HURL will not be liable to pay any interest on Performance Security submitted.

#### **PAYMENT TERMS:**

Full payment of the order value will be made after the successful delivery, installation and commissioning at our site of said items to the satisfaction of the Engineer in-charge after adjustment of all necessary taxes, if applicable.

#### **TENDER EVALUATION:**

The HURL will evaluate the entire bids, strictly on the basis of terms & conditions incorporated in the tender enquiry document in all respects.

During the evaluation / scrutiny of the tenders, at any stage, if it is found that any of the tenderer(s) terms and conditions are not compliant with tender enquiry document, HURL may seek the clarification within the specified target time and if the tenderer has fails to reply / or not agree / accept the terms and conditions, their tender will be treated as unresponsive and it is liable for rejection.

Evaluation of the proposals shall be done in two stages as:

## (A) STAGE - I (Technical Evaluation):

HURL will examine all the bids to determine whether these qualifies the essential pre- qualification criteria, whether tenderer have submitted the EMD with technical Bid, whether all the documents as mentioned / or required in the tender document to be submitted with technical bid have been submitted, whether all the documents are in prescribed format and has been properly signed & stamped and whether the bid are completed and generally in order. Please note that your financial bid should be enclosed in sealed envelope only, as mentioned in above Notice Inviting Tender paragraph, or else your tender will stand cancelled.

Tenderer who has not qualified technical evaluation shall be rejected as

Page 6 of 13

Dupuk Kumas

**(B) STAGE – II (Financial Evaluation):** Financial bid(s) of only technically qualified tenderer will be opened for financial evaluation.

#### **AWARD OF CONTRACT:**

After due evaluation of the financial bids, the HURL will award the contract to the bidder on overall Lowest quote basis.

#### **OTHER TERMS AND CONDITIONS:**

- 1. Tenders received after the last date and time will not be accepted.
- 2. Rates should be offered unconditional.
- 3. Earnest money deposited with other tender in the HURL will not be adjustable with this tender.
- 4. The successful tenderer is also liable for proper commissioning at our site. If any item found defective after the supply, the tenderer will be liable to replace the item at his own cost.
- 5. If any **Malafide** intension is observed by Hindustan Urvarak & Rasayan Limited, the agency shall not be eligible for further tenders.
- 6. HURL, Sindri Project reserve the right to accept or reject all or any bid/quotation without assigning any reason thereof.
- 7. Rates provided only in given format will be accepted. Any terms and conditions provided by the tenderer with price bid will not entertained.
- 8. The quoted rate shall remain firm till the finalization of tender.
- 9. The Institute will not pay any mobilization charges.
- 10. The supplier will also be responsible for working of installed RO Water Purifier during warranty period beside service center guidelines/term & conditions of said brand.
- 11. In case of tie between the parties, the overall lowest bidder will be decided on the basis of technical parameters of goods offered, warranty period and availability of service centers/providers etc.
- 12. The successful bidder shall not be allowed to sublet / subcontract the contract to any other contractor.
- 13. In case of any dispute of any kind and in respect of whatsoever arising out of tender / contract, the decision of the competent authority of HURL will be final and binding.

Page 7 of 13

Repak Kuman

### **Statuary Liabilities:**

If any other statuary liabilities are imposed by the Government like taxes, duties, cess etc. during tender process, will be beared by Hindustan Urvarak & Rasayan limited, Sindri Project.

#### JURISDICTION:

The courts at Dhanbad will have the jurisdiction to try any matter, dispute or reference between parties arising out of this tender / contract. It is specifically agreed that no court outside and other than Dhanbad court shall have jurisdiction in the matter.

For & on behalf of HURL

Deepak Kumar

Dubak Kuman

Manager (C&M)

Sindri Project, HURL



#### Enclosure:

- 1) Technical details of the RO Water Purifier as Annexure 1.
- 2) Format for undertaking of Non-Blacklisting as Annexure-2.
- 3) Format for technical and financial bid as Annexure A & B.

# **Technical Specifications for RO Water Purifier**

# RO Water Purifier shall be as per following technical specifications:

S.N.	Specification	Minimum Requirements
1.	Castanta shero most 24A. Var	RO Water Purifier
i)	Purification Technology	RO + UF + TDS controller
ii)	Stages Details	Minimum Stages:  1. Low Pressure Switch  2. Sediment Filter  3. Solenoid Valve  4. Booster Pump  5. Activated Carbon Filter  6. RO Membrane HF  7. TDS Control Valve  8. Flow Restrictor Tube  9. UF Membrane  10. Non-Return Valve  11. High Pressure Switch  12. Hydrostatic Tank
iii)	Operation	Minimum requirement:  1. Automatically shuts off water purification process when the Hydrostatic tank is full.
		2. Does not start water purification when the inlewater supply pressure is below 0.3kg/cm2
		3. Restarts water purification processes when the water level drops in the hydrostatic tank.
	n fr vel knjigeve kaz čolena cilo i	4. Stop water purification process in the absence of electricity, thus ensuring that a user gets only purified water.
		5. Resumes water purification process once the electrical supply is available.
iv)	Applications	Suitable for Brackish/Tap water

Page 9 of 13



v)	Purification Capacity	Up to 40 Litre/Hr
vi)	Maximum Duty Cycle	200 Litre/Day
vii)	Hydrostatic Storage Tank	7 (Seven) Litre
viii)	Cooling Capacity	30 Litre/Hr @ 14-22' C
ix)	Refrigerant	R134a
x)	Body Material	Stainless Steel/ ABS food grade Plastics
xi)	Installation	Floor Standing
xii)	Inlet Water Pressure (Min.)	0.3 Kg/cm2
xiii)	Inlet Water Pressure (Max.)	4.0 Kg/cm2
xiv)	Filter Cartridge	Sediment, Carbon Filter
xv)	UF Filter	Ultrafiltration Membrane
xvi)	Auto Flushing System	Yes
xvii)	Membrane Type	Thin Film Composite RO
xvii)	Booster Pump Voltage	24 VDC
xix)	Cooling Type	Inline Cooling (NO tank for cooling)
xx)	Condenser Fan	Axial Flow Type
xxi)	No. of Nozzle	02 Nos.
xxii)	Drink Size	1000 ml / 2 min.
xxiii)	Input Power Supply	230 Volt AC, 50 Hz

Note: Please attach technical brochure with your quote dully sealed and verified by the bidder.

Seal & Signature of the Bidder



# NON-BLACKLISTING / DEBARRING DECLARATION

I / We (Name & Address of individual / proprietor)	
Manufacturer / Partner(s) / Authorized Dealer / Authorized Distributor / Authorized Agent of M/s	
(Name & Address of firm)	
has not been blacklisted or debarred in the past by any Union / State Government or organization	from
taking part in government tenders in India.	
I/We also have neither been convicted nor any cognizance have been taken against by any court of	of law
till date.	
The above statement is true to the best of my/our knowledge and belief.	
Deponent / Witness Name:	
Address:	
Andredian to ringing in sinournel guitnoging daile search deployers and search deployers and search deployers and search deployers and search deployers are search deployers and search deployers and search deployers are search deployers.	
Attested:	
(Public Notary / Executive Magistrate)	
The start with Treptained ind. The tracker document will be the mark of the best Aller of the	

Page 11 of 13

Dupak Kuma IRVARAK & RAGANAN HURL ITO

#### **Technical Bid**

- Name of manufacturer company of RO:
- Brand/model name of RO:
- Name of firm/dealer/manufacturer:
- Since when in the business of sales of RO water purifier:
- Name of major clients: 1)
  - 2)
  - 3)
  - 4)

(Attach extra sheet in case of more clients)

- Address of the firm/dealer/manufacturer:
- PAN No. of firm/proprietor of firm:
- GST No. of firm:
- Does Earnest Money Deposit of Rs. 10,000/- is enclosed?

  Yes / No
- Demand Draft No. and date:
- Issuing bank name & branch:
- Contact person:
- · Contact No.:

Email ID:

#### Note:

- 1. Please attach photocopies in support of PAN and GST numbers.
- 2. Please attach supporting documents in support of authorized dealer/franchise/firm/company/manufacturer.
- 3. Please attach undertaking about non-blacklisting by any Central/State government organization or Central/State undertakings.
- 4. Signature and seal of the bidder required on all the pages which are to be submitted along with Technical Bid. The tender document will be the part of Technical Bid.

Seal & Signature of the Bidder



# Format for QuotingRates

Sl. No	Item Description	Unit	Quantity	Rate/Unit (Rs.)	Amount (Rs.)
1	Supply & Installation of RO Water Purifier with purification capacity of 40 LPH (As per technical specification provided with tender document)	No.	04		
	Total Amour	nt			
3	Add: Taxes				
	Grand Tota	ı			

In Words:			

Note: Price shall be inclusive of all fitting accessories required for proper commissioning on site at Hindustan Urvarak & Rasayan Limited, Sindri Project.

Seal & Signature of the Bidder

Dupak Kennen



## Format for QuotingRains

late Throng

Note: Price shall be inclusive of all fitting accessories required for proper commissioning on site

Seel & Stepaners of the Bidder

Richard Roman



fileti age9